# WÜRTH GULF SUBMITTAL

# ACRYLIC SEALANT INTERIOR

**Art No 0892 122310**



# Würth Gulf

Is part of The Würth Group. We are the supplier of Fasteners, Automotive Chemicals, Hand Tools & Electrical Supplies also Construction, Assembly Items, Sealants, Power Tools & Safety Solutions.
Established in 2000, Würth Gulf FZE is one of the leading suppliers in the Middle-East. Existing industrial companies and developing organizations alike can benefit from the uparalleled selection, quality and unbeatable service that is synonymous with the Würth brand.




## OUR VISION

Becoming the number 1 in the eyes of
our customers as the best and most qualified sales team.

## OUR MISSION

We love selling.
We inspire our customers.

## OUR PRINCIPLES

We request and promote achievements.
The greater the success, the more freedom and liberty.
We are optimistic, dynamic and have powers of self-assertion.
We passionately fight for success.
We consistently pursue everything that has proven
to be successful, and we try out new things.
We strive for perfection in every area of our activities.
We assume responsibility for our actions, work in mutual
respect and appreciation, are straightforward and
predictable in everything we do.
The term we consider most important in dealing with each other is
"Thank You".

## WE SERVE THE FOLLOWING MARKET SECTOR:

Auto Workshops
Construction Companies
Industrial Companies
Metal and Fabrication
Maintenance and Repair Shops
Oil and Gas Sector
All other Manufacturing sectors.

## OUR PRODUCT RANGE

Automotive/Cargo Accessories and Spare Parts
Chemical Technical Products
Concrete Anchors and Fixings
Construction Accessories
Electrical
Fasteners/Fittings
Fire Protection Systems
- General Tools/Equipment
Hand and Power Tools
Lubricants and Degreasers
Master ® Power Tools
Material Processing
Orsy® Assortments and Workshop Equipment
- Personal Protective Equipment (PPE)
Sanitary
Sealants and Adhesives
Service and Systems
- Workshop/Garage Equipment




### Over 3 million customers

Worldwide, there are over 400 Würth companies in more than 80 countries and more than 70,000 employees on its payroll. This guarantee our customers can rely on our high quality, excellent service and innovative products.

To each customer Würth allocates our Sales Consultant, who is strongly focused on the individual needs of the client. We have adopted this attitude to benefit you, the customer. Our daily commitment helps us to find new approaches so that we always improve. We aim to supply every customer with every article at any time in any place. We therefore have developed modular systems and logistics tailored to the individual needs of the customers. In October 2009, we won the German Logistics Award for this concept.

### Our philosophy

We owe it to Prof. Reinhold Würth that the Würth Group has a clear business orientation: It is marked by a strong brand policy, future-oriented product strategy, closeness to the customer, clear quality offensive, thinking in terms of visions and not least by a strong corporate culture. Bettina Würth, Prof. Reinhold Würth's daughter and Chairwoman of the Advisory Board together with the members of the Central Managing Board see to it that these values are filled with life and developed further.

## Introduction

Würth is the world market leader in the trade of connection materials.

Our core business, the Würth line is a versatile product range for craft, industry and construction that comprises of over 100.000 different products ranging from screws, drywall equipment, screw accessories, structural anchors, hand and power tools, chemical technical products and personal protective equipment.

## Quality

True to our motto "quality beats price" Würth is positioned at the very top of the quality spectrum. We do not compromise and only offer top-notch quality when it comes to our products, but moreover also to our services.

## Würth A Strong Brand

We want to inspire our customers all over the world with identical quality and a true brand promise.

This means we support our customers actively in a solution orientated manner. By doing so, you as our customer can concentrate on what matters most to you, your business. We are working with passion to optimize our products and services constantly

## Würth Acrylic Sealant

Würth Acrylic Sealants are high-tech sealants which are odorless and accommodate the sealing of low and medium joints between various construction materials (wood / concrete / brick etc.), sealing joints between windows, walls, doors. Filling cracks in walls and on ceilings. Würth acrylic sealants can be painted over once cured. (preliminary test required)

The information contained in the following submittal has been carefully arranged to obtain your kind approval for your construction project. If any additional details or information is needed you can contact your friendly and trained Würth sales consultant.

In the meantime we remain,

With kindest regards,

Jeroen Nijland
Product Department Manager
Würth Gulf Fze

WURTH
P.O.Box: 17036
Jebel Ali
Dubai - U.A.E.
WURTH GULF FZE

Wurth Gulf FZE-Plot # S61303, Jebel Ali South 6 ,Dubai ,U.A.E - P.O.Box:17036
T: +9714 8809991, 04 8834229(old), F: +971 4 8809255, 04 8834303(old), E: wurthglf@emirates.net.ae - www.wurth.ae

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

**PRODUCT INFORMATION**


**TECHNICAL DATA SHEET TDS**



WÜRTH

# WÜRTH SEALANT TECHNOLOGY

**The complete pro uct line the optimum solution for any application**




## 1 Perfect Neutral Silicone



**Applications**
Sealin lass in oo en plastic an aluminum in o s

**Properties**
Permanently elastic compati le ith paint optimi e lass paint an la in a hesion Hi hly a hesive

## 2 Special Neutral Silicone



**Applications**
Sealin lass sealin e pansion oints in oors an out oors

**Properties**
Permanently elastic Compati le ith paint optimi e lass paint an la in a hesion Virtually o orless

## 3 Neutral Silicone



**Applications**
Sealin floor an all oints from hich lo performance is re uire

**Properties**
For universal use Permanently elastic Compati le ith paint

## 4 Stone and Facade Sealant



**Applications**
E pansion an sealin oints especially out oors e in o s oors faca e connection an uil in oints

**Properties**
Permanently elastic Can e painte over e cept transparent follo in preliminary test Compati le ith paint

## 5 Natural Stone Sealant



**Applications**
Natural stone sealin of mar le an ranite in oors an out oors Sealin panes of insulation lass

**Properties**
Does not cause is coloration in e e areas on natural stone Permanently elastic Contains fun ici e Compati le ith paint

## 6 Silicone Acetate Food Safe



**Applications**
Sealin oints in foo processin an rin in ater sector itchen construction utcher shops a eries a uarium construction

**Properties**
Permanently elastic compati le ith paint optimi e lass paint an la in a hesion Hi hly a hesive

## 7 Silicone Acetate



**Applications**
Tile oints in oors an out oors

**Properties**
Permanently elastic compati le ith paint optimi e lass paint an la in a hesion Hi hly a hesive

## 8 Silicone Acetate Bathroom Unit



**Applications**
Plum in oints in ath an WC tile oints in oors an out oors Glass isplay cases isplay in o s an furniture construction crystal clear variant

**Properties**
Contains fun ici e Optimi e tile a hesion Lon processin time Permanently elastic Hi h transparency crystal clear variant Hi h a hesive stren th on lass crystal clear variant


## 9 Painter's Acrylic



**Applications**
For in oor an out oor connectin oints that are painte or plastere over

**Properties**
Can e painte plastere over O or free Permanently elastic Compati le ith paint

## 10 Acrylic Sealant



**Applications**
In oor oints that are su ect to very little e pansion an are painte or plastere over later e for sealin crac s

**Properties**
Can e painte plastere over O or free Compati le ith paint

## 11 Parquet Acrylic



**Applications**
Par uet connectin oints on all connections an oor frames Sealin of par uet e pansion oints

**Properties**
Can e san e Can e painte over O or free

## 12 Structured Acrylic



**Applications**
For repairin crac s an ama e to structure an coarse plaster

**Properties**
Structure sealin compoun Can e painte an plastere over suita le for coatin

## 13 Seal Flex



**Applications**
E pansion oints in roof area e connections to chimneys ome roof li hts e haust hoo s

**Properties**
A heres on amp surfaces Compati le ith itumen Can e painte over O or free

## 14 Bitumen Sealant



**Applications**
Repairs on itumen strips fillin itumen strips

**Properties**
A heres on amp surfaces Can e applie ith a spatula

## 15 High-Temperature Silicone



**Applications**
Furnace heatin an air con itionin construction

**Properties**
Temperature resistance up to C riefly up to 3 C Resistant to ilute aci s an ases

## 16 Ventilation Duct Sealant



**Applications**
Ventilation ucts system construction e haust systems in commercial itchens

**Properties**
Hi h chemical resistance Contains fun ici e Can e painte over Permanently elastic

## 17 Repair Layer



**Applications**
Protective coatin s in flat roof ar en house all an all ase area

**Properties**
Compati le ith itumen Permanently elastic Bri es crac s A heres on amp surfaces Can e applie ith a spatula

## 18 Furnace Putty



**Applications**
Furnace construction heatin oilers chimney construction com ustion cham er linin other e uipment in hi h temperature sector

**Properties**
Resistant to hi h temperatures up to C Se imentation free O or free

## 19 Floor joint sealant



**Applications**
In oor an out oor mova le an connectin oints su ect to loa s at rest or rollin traffic

**Properties**
Very lo emissions Le ally approve for use ith foo Dampens vi rations an noise Har ens u le free

## 20 RKD-Flex Sealant



**Applications**
Sealin of ca le an pipe openin s in areas that touch the roun In con unction ith PU foam an fi in cement

**Properties**
Rea y to apply Permanently elastic Pasty

MWF - 02/13 - 07725 -

For detailed information, see product information.

| | | | Neutral Silicone Perfect | Neutral Silicone Special | Neutral Silicone | Silicone Color | Acetate Silicone Bathroom Unit | Acetate Silicone Food Safe | Acetate Silicone | Stone and Facade Sealant | Natural Stone-Sealant | Painter's Acrylic | Acrylic Sealant | Parquet Acrylic |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Applications | | **Indoors** | | | | | | | | | | | | |
| | 1 | Window connection joints | ++ | ++ | | ++ | | | | ++ | | + | | |
| | 2 | Indoor and outdoor expansion joints | ++ | ++ | + | ++ | + | + | + | + | ++ | + | | |
| | 3 | Plumbing joints | | | | + | ++ 1 | | + | | ++ | | | |
| | 4 | Repair of cracks | | | | | | | | | | ++ | ++ | |
| | 5 | Parquet joints | + | + | + | + | | | | | | | | ++ |
| | 6 | Aquarium construction | | | | | | ++ | | | | | | |
| | 7 | Kitchen area | + | + | | + | | ++ | | | + | | | |
| | 9 | Display cases | | | | | ++ 3 | | | | | | | |
| | 10 | Counter construction | + | + | | + | | ++ | | | + | | | |
| | | **Outdoors** | | | | | | | | | | | | |
| | 11 | Window and door connection joints | | ++ | ++ | | ++ | | | | ++ | | | |
| | | **Indoors and Outdoors** | | | | | | | | | | | | |
| | 12 | Window sealing | ++ | ++ | | | | | | | | | | |
| | 13 | Insulating-glass edge composite | | | | | | | | | ++ | | | |
| | 14 | Natural stone joints | | | | ++ | | | | ++ | ++ | | | |
| Important Technical Properties | | Maximum absorption of continuous movement | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 20 | 10 | 7 |
| | | Skin formation time (23 °C/50 rel. humidity) | 10-15 min | 10-15 min | ca. 7 min | 10-15 min | approx. 12 min | approx. 10 min | approx. 10 min | approx. 75 min | approx. 15 min | approx. 15 min | approx. 20 min | approx. 3 min |
| | | Hardening mm/24 hours | 2-3 | 2-3 | 2-3 | 2-3 | 2-3 | 2-3 | 2-3 | 3.5 | 1.5 | 1 | 2 | 1 |
| | | Temperature resistance | 50 C to +150 C | 50 C to +150 C | 50 C to +150 C | 40 C to +120 C | 40 C to +150 C | 40 C to +180 C | 40 C to +150 C | 40 C to +80 C | 40 C to +120 C | 25 C to +80 C | 25 C to +80 C | +25 C to +40 C |
| | | Application temperature | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +1 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +40 C | +5 C to +80 C |
| | | Can be smoothed with (W = water, DG = sealant smoothing agent, T = dry) | DG | DG | DG | DG | DG1 | DG | DG | DG | DG | W | W | W |
| Special Characteristics | | DIN 18540 Outside Wall Joints in Building Construction | | | | | | | | + | | | | |
| | | DIN 18545 Glazing in Window Construction | + | + | | | | | | | | | | |
| | | Odorless/nearly odorless | | + | | + | | | | + | | + | + | + |
| | | Can be painted over 2 | | | | | | | | + | | + | + | + |
| | | Compatibility with paint 2 | + | + | + | + | + | + | + | + | + | + | + | + |
| | | Contains fungicide (anti-fungal effect) | | | | + | ++ 1 | | | + | + | | | |
| | | Silicone-free | | | | | | | | + | | + | + | + |
| | | Sandability | | | | | | | | | | | | + |
| | | Adheres to damp surface | | | | | | | | | | | | |
| | | Bitumen compatibility | | | | | | | | | | | | |
| | | Resistant to UV, weathering and aging | + | + | + | + | + | + | + | + | + | + | + | + |
| | | Suitability on tension-relieved polycarbonate glass (PMMA) | | + | | | + | | | | | | | |

Key: ++ Excellently suited, suitable 1 Not crystal clear variant 2 Preliminary tests re uired 3 Only crystal clear variant 4 Not for swimming pools

# ACRYLIC SEALANT 310ML




**Art No 0892122310**
Odorless one component acrylic based sealant

**Application:** Sealing of low and medium movement joints between various construction materials wood, concrete, brick etc., sealing joints between windows, walls, doors etc.,) filling cracks in walls and on ceilings. Can be painted over once cured. preliminary test re uired

**Instructions:** The joints must be clean and free from dust, grease and rust. No primer is re uired for non-porous surfaces. On porous surfaces such as concrete, stone, cement and plaster. A primer mixture of one part acrylic sealant and 4-5 parts of water should be applied. Min/max joint width must be 5mm/25mm. The recommended joint depth/width ratio is 1 to 2. Application temperature is between +5 C and +40 C. Immediately after the application, smooth the sealant at once with a joint smoother. Excess sealant can be removed with a wet cloth. Keep the sealed joint dry at least for two hours. Cured sealant can be removed mechanically not suitable for permanent water storage.

| Technical Data | |
|---|---|
| Base chemical | Acrylic dispersion |
| pH alue | 7 8 |
| Specific gravity | 1,60 0,03 gr/cm³ ASTM D792 |
| Tack free time | 50 20min 23 C and 50 R.H ASTM C679 |
| Skin forming | 10 min |
| Curing rate | 1 to 2mm/day 23 C and 50 R.H |
| Elongation at break | 250 ASTM D412 |
| Max. permanent motion | 5 |
| Temperature resistance | -10 C to 80 C |
| Application temperature | +5 C to 40 C |
| Hardness shore A | 50 |

## A itional Pro ucts


Art.No. 0891 310 AE Cartridge gun


Art.No. 1715 660318 Knife


Art.No. 0891 182 Joint smoother




Art.No. 0697 4 Wire brush


Art.No. 1899 103001 Safety goggles


Art.No. 0899 404320 Dotted gloves

# GENERAL PRINCIPLES FOR APPLYING SEALANTS




| Material of window profiles | $_{Aa}$ for sealants with a permissible total deformation of 25%<br><br>$_{Si}$ for sealants with a permissible total deformation of ≥15 % | | | | $_{Sta}$ for sealants with a permissible total deformation of 25%<br><br>$_{Si}$ for sealants with a permissible total deformation of ≥15 % | | |
|---|---|---|---|---|---|---|---|
| | Element length in mm | | | | | | |
| | up to 1.5 | up to 2.5 | up to 3.5 | up to 4.5 | up to 2.5 | up to 3.5 | up to 4.5 |
| | Minimum joint width for dull stop $b_S$ in mm | | | | Minimum joint width for inside stop $b_A$ in mm | | |
| PVC hard (white) | 10 | 15 | 20 | 25 | 10 | 10 | 15 |
| PVC hard and PMMA (dark) (color-extruded) | 15 | 20 | 25 | 30 | 10 | 15 | 20 |
| Hard PUR integral foam | 10 | 10 | 15 | 20 | 10 | 10 | 15 |
| Aluminum-plastic composite profiles | 10 | 10 | 15 | 20 | 10 | 10 | 15 |
| Aluminum-plastic composite profiles, dark | 10 | 15 | 20 | 25 | 10 | 10 | 15 |
| Wooden window profiles | 10 | 10 | 10 | 10 | 10 | 10 | 10 |

$_{Sti}$ Minimum joint width for dull stops, room side
$_{Sta}$ Minimum joint width for dull stops, on outside
$_{Aa}$ Minimum joint width for inner stops, on outside

## Primer

The primer is for some sealants or surfaces the basic condition for proper, permanent adhesion.

## Backing Material

To ensure a permanent elasticity of the sealant, a backing material (round cord) must be used.

## Permeability

Depending on the system, sealants have a low or somewhat increased water vapor permeability.

The vapor diffusion is, for example, approx.
20 g/m³/24 hrs.,

for acrylates
approx. 10 g/m³/24 hrs.






## Gap Dimensioning

A common rule of thumb is:


**Sealant joint depth**
**joint width**





MWF - 01/13 - 10513 - ©

# GENERAL NOTES ON APPLICATION OF SEALING MATERIALS


**Cleanin of the foun ation:**
The foundation must be clean, dry and free of grease and dust. Remove any residual material, such as oil, grease, rust, or water before using the sealant.
Exceptions are listed in the technical information leaflet.



**Prevention of three point a hesion:**
During process, the sealant must only be subject to 2-side adhesion. Any additional adhesion to an undersurface can result in stress cracks in case of movement so that a sealing of the gap is no longer guaranteed. To avoid three-point adhesion, PE backfill material should be put into the gap.





**3 Gap imensionin :**
The gap should be about half as deep as it is wide. In case of narrow gaps, however, the depth should be at least 6 mm. PE backfill material should be used to limit the gap depth.




**Primer:**
In case of certain foundations, the use of a primer is necessary to guarantee a secure adhesion of the sealant see the Compatibility of Würth Sealants with Building Materials table or the technical information leaflet .




**Use of sealant smoothin a ent:**
Through spraying with sealant smoothing agent and the subse uent removal, an optically clean and smooth surface and complete coverage by spraying is guaranteed. The selection of the right sealant smoothing agent is important see the Würth Sealants Properties and Applications table or the technical information leaflet to avoid changes in color of the sealant.





This information is only a recommendation based on our experience. Preliminary testing re uired.


**← Optimal ap imensionin**

| | |
|---|---|
| Narrow gaps b 12 mm: | Gap depth t 6 mm |
| Wide gaps b 12 mm: | Gap depth t 1/2 gap width b |
| Minimum gap width b: | 6 mm |
| Maximum gap width b: | 20 mm |

**Compati ility ith paint:**
Sealants that have good adhesion and compatibility with a paint and that can be painted over in the edge area with 1 mm are considered to be compatible with paint see the Compatibility of Würth Sealants with Building Materials table or the technical information leaflet . The paint on the foundation must be completely set so that safe adhesion and good compatibility can be achieved. Due to the number of lac uers and paints on the market, we recommend that you perform a preliminary test.



**Can e painte over:**
Sealants that can be painted over are those that can be painted or lac uered over later see the Compatibility of Würth Sealants with Building Materials table or the technical information leaflet . The sealant must be completely hardened with painted/lac uered over.
Due to the number of lac uers and paints on the market, we recommend that you perform a preliminary test. Expansion gaps should basically not be painted over because the topcoat and the sealant may crack. Leakage is the result.



MWF - 01/13 - 09653 -

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

**Art No 0892 122310**

## MSDS



# SAFETY DATA SHEET

## 0892 122310 - ACRYLIC SEALANT WHITE - 310 ML

Version 2.0 Revision Date 16.12.2014 Print Date 16.12.2014 DE / EN

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

| | | |
|---|---|---|
| Commercial Product Name | : | ACRYLIC SEALANT WHITE - 310 : |
| Product code | | 0892 122310 |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

| | | |
|---|---|---|
| Use of the Substance/Mixture | : | Sealant |

### 1.3 Details of the supplier of the safety data sheet

| | | |
|---|---|---|
| Company | : | Wurth Gulf FZE<br>Lot No. S61303 Jebel Ali<br>FZE-South Area Dubai<br>U.A.E P. O. Box 17036 |
| Telephone | : | +971 4 880 9991 |
| Telefax | : | +971 4 880 9255 |
| E-mail address | : | info@wurth.ae |

## 2. Hazards identification

### 2.1 Hazard description: Not applicable.

### 2.2 Information concerning particular hazards for human and environment:

The product does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**2.3 Label elements (Labelling according to EEC Directive)**

**Safety Phrases**

S24 Avoid contact with skin.
S51 Use only in well-ventilated areas.

**2.4 Classification of the GHS**

(Annex VI to Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Dangerous

## 3. Composition/information on ingredients

**3.1 Description:** Mixture of substances are nonhazardous additions.

**3.2 Dangerous components:** Void.

**3.3 Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4. First aid measures

**4.1 General information:** No special measures required.

**4.2 After inhalation:** Supply fresh air; consult doctor in case of complaints.

**4.3 After skin contact:** If skin irritation continues, consult a doctor.

**4.4 After eye contact:** Rinse opened eye for several minutes under running water.

**4.5 After swallowing:** If symptoms persist consult doctor.

## 5. Firefighting measures

**5.1 Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Protective equipment:** Mouth respiratory protective device.

## 6. Accidental release measures

**6.1 Person-related safety precautions:** Ensure adequate ventilation.

**6.2 Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.

**6.3 Measures for cleaning/collecting:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Additional information:** No dangerous substances are release.

## 7. Handling and storage

**7.1Handling:**

**7.1.1 Information for safe handling:** Use only in well ventilated areas.

**7.1.2 Information about fire - and explosion protection:** No special measures required.

**7.2 Storage:**

**7.2.1 Requirements to be met by storerooms and receptacles:** No special requirements.

**7.2.2 Information about storage in one common storage facility:** Not required.

**7.2.3 Further information about storage conditions:** None.

## 8. Exposure controls/personal protection

**8.1 Additional information about design of technical facilities:** No further data; see item 7.

**8.2 Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.3 Additional information:** The lists valid during the making were used as basis.

**8.4 Personal protective equipment**

**8.4.1 General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

**8.4.2 Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

**8.4.3 Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**8.5 Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**8.5.1 Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**8.5.2 Eye protection:** Goggles recommended during refilling.

## 9. Physical and chemical properties

### 9.1 General information

**Form :** Paste

**Odour:** Characteristic

**Colour :** White

**Explosive properties** : No

**Specific Gravity** : 1,60 ± 0,03 gr/cm3

**pH : 7-9**

**VOC %**: < 1

## 10. Stability and Reactivity

**10.1 Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.2 Dangerous reactions:** No dangerous reactions known.

**10.3 Dangerous decomposition products:** No dangerous reactions known.

## 11. Toxicological information

**11.1 Acute toxicity**

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

**11.2 Primary irritant effect**

**11.2.1 On the skin:** No irritant effect.

**11.2.2 On the eye:** No irritant effect.

**11.2.3 On ingestion:** No irritant effect.

**11.2.4 Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

## 12. Ecological information

**12.1 Environmental fate and distribution:**

Solid material, insoluble in water. No adverse effects are predicted.

**12.2 Ecotoxicity effects:**

No adverse effects on aquatic organisms are predicted.

**12.3 Bioaccumulation:** No bioaccumulation potential.

**12.4 Fate and effects in waste water treatment plants:** No adverse effects on bacteria are predicted.

## 13. Disposal considerations

**13.1 Product disposal:** Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.2 Packaging disposal:** Dispose of in accordance with local regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposalauthorities

## 14. Transport information

**ADR**
This material is not classified as dangerous under ADR regulations.
**RID**
This material is not classified as dangerous under RID regulations.
**IMDG**
This material is not classified as dangerous under IMDG regulations.
**IATA**

**This material is not classified as dangerous under IATA regulations.**

## 15. Regulatory Information

**15.2Labeling: Hazard description:** Not applicable. No hazard classification according to Directive CLP and 1999/45/EC
**15.2 Special labeling ofcertain preparations:**
Safety data sheet available for professional user on request.

## 16. Other Information

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. The company supplying entity shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

Department issuing SDS: **Product department.**

Contact: **Product department**

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

## CERTIFICATES



Certificate No.: 202050038070
Date: March 4, 2020

# DRAFT LIMITED WARRANTY CERTIFICATE

We as Würth Gulf and under our sole responsibility confirm a 5 year warranty on material specifications and against material defects for our Würth Acrylic Sealant Art. 0892122310 providing the material is applied in accordance to the instructions provided by us.

The draft warranty shall be replaced with a final warranty addressing the project end user conditional to the following:

1. The application is made in accordance to **ASTM C1193 Standard Guide for Use of Joint Sealants and/or our technical instructions whichever is more stringent.**
2. Supplied material is invoiced and paid by the end user.

Disclaimer: This warrantee is restricted to replacement of defective material against the original invoice cost, Würth Gulf does not take responsibility for any defects caused by wrong application during installation or when material is applied on non-conforming substrates.

We trust to have been of service with this confirmation and remain,

With kindest regards,

WURTH P.O.Box: 17036 Jebel Ali Dubai - U.A.E. WURTH GULF FZE

Product
Department
WURTH GULF FZE

DRAFT

# Certificate of Compliance

To whom it may concern;

This document confirms and certifies the country of origin of Wurth products as per below information. The information provided in this certificate is based on accurate facts and Wurth Gulf FZE assumes the responsibilities for such representations. This document is valid and applicable on existing product batch of inventory of Wurth Gulf FZE on current demand of customer and may change over the time. Consequently further certification may be required for future inquiries.

Würth Acrylic Sealant Interior is an excellent adhesive on a broad range of surfaces, especially on the joint between the **doors**, **panels**, and **windows**, especially where the **non-bare metal contacts** the **wood** or **concrete**, besides it sticks strongly on glazed surfaces.

| Article # | Description | VOC Content | Formaldehyde Content | Origin | Asbestos Level | Chromated Copper Arsenate (CCA) |
|---|---|---|---|---|---|---|
| 0892122310 | Acrylic Sealant Interior (white) | 16.4 g/L | Not detected | Turkey | Free of Asbestos | Free of CCA |

Sincerely,

WURTH P.O.Box: 17036 Jebel Ali Dubai - U.A.E. WURTH GULF FZE

Jeroen Nijland
Manager – Product Department
Wurth Gulf

Wurth Gulf FZE-Plot # S61303, Jebel Ali South 6 ,Dubai ,U.A.E - P.O.Box:17036
T: +9714 8809991, 04 8834229(old), F: +971 4 8809255, 04 8834303(old), E: wurthglf@emirates.net.ae - www.wurth.ae

# Confirmation

## LEED

On May 15th, 2015, Eurofins Product Testing A/S received a sample of a Sealant with the product name:

## Siliconized Acrylic Sealant

The sample was supplied as being representative of the manufactured product, and it has been tested as Other Sealants in accordance with the relevant ASTM D2369 and EPA method 24 testing standards (See test report no. 392-2015-00148203).

**The test results of the tested sealant indicate that the product qualifies for** LEED 2009 **VOC content by complying with:**

**VOC content specifications in LEED credit EQc4.1 "Low-emitting products":**

- the requirements of SCAQMD rule 1168 (2005)

22 June 2015

Morten Sielemann
Analytical Chemist

WÜRTH

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

ISO 14001:200
ISO 9001:2008



ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Management Service

# CERTIFICATE

Certificate Registration No.: **12 100 23791 TMS** / Order No.: **70020920**

**The Certification Body**
**of TÜV SÜD Management Service GmbH**

certifies that the organization

WÜRTH

## Adolf Würth GmbH & Co. KG

**Reinhold-Würth-Str. 12-17 • 74653 Künzelsau**
**Germany**

for the scope

**Development and distribution of fasteners, hand tools and storage systems. Distribution of products (standard parts, special parts, systems) for industrial safety, construction, workshops, fire protection technology, chemical-technical applications, anchor technology, direct assembly, electrical installations, material processing, installation, measuring technology, soldering and welding technology, as well as of products such as electrical and pneumatic tools and machines, small and replacement parts for automotive vehicles, advertising media. Maintenance of electric power tools, pin driver technology and pneumatic tools as well as testing of fall arrest systems, length measuring tools (laser technology) and tools for torque measurement and vehicle conversion or installation of storage systems including load securing in vehicles as well**

**including the sites see enclosure**

has established and applies a Quality Management System.

An audit was performed and has furnished proof
that the requirements according to

## DIN EN ISO 9001:2015

are fulfilled.

The certificate is valid from **2024-04-10** until **2027-04-09**.

Fred Wenke
Head of Certification Body
Munich, 2024-03-13

IAF MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT

DAkkS Deutsche Akkreditierungsstelle D-ZM-14143-01-00

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Management Service

# ENCLOSURE OF CERTIFICATE

Certificate Registration No.: **12 100 23791 TMS** / Order No.: **70020920**

certificate holder:

**Adolf Würth GmbH & Co. KG**
**Reinhold-Würth-Str. 12-17**
**74653 Künzelsau**
**Germany**

| **at the sites** | **scope** |
|---|---|
| **Adolf Würth GmbH & Co. KG**<br>Reinhold-Würth-Str. 12-17<br>74653 Künzelsau<br>Germany | Development and distribution of fasteners, hand tools and storage systems. Distribution of products (standard parts, special parts, systems) for industrial safety, construction, workshops, fire protection technology, chemical-technical applications, anchor technology, direct assembly, electrical installations, material processing, installation, measuring technology, soldering and welding technology, as well as of products such as electrical and pneumatic tools and machines, small and replacement parts for automotive vehicles, advertising media. Maintenance of electric power tools, pin driver technology and pneumatic tools as well as testing of fall arrest systems, length measuring tools (laser technology) and tools for torque measurement. |
| **Adolf Würth GmbH & Co. KG**<br>**Fahrzeugeinrichtungen**<br>Am Seebach 2<br>74182 Obersulm-Willsbach<br>Germany | Vehicle conversion or installation of storage systems including load securing in vehicles. |

Fred Wenke
Head of Certification Body
Munich, 2024-03-13





MS/01-07/2023

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

TÜV SÜD Management Service

# CERTIFICATE

Certificate Registration No.: **12 104 23791 TMS** / Order No.: **70020920**

**The Certification Body**
**of TÜV SÜD Management Service GmbH**

certifies that the organization

WÜRTH

## Adolf Würth GmbH & Co. KG

**Reinhold-Würth-Str. 12-17 • 74653 Künzelsau**
**Germany**

for the scope

**Development and distribution of fasteners, hand tools and storage systems. Distribution of products (standard parts, special parts, systems) for industrial safety, construction, workshops, fire protection technology, chemical-technical applications, anchor technology, direct assembly, electrical installations, material processing, installation, measuring technology, soldering and welding technology, as well as of products such as electrical and pneumatic tools and machines, small and replacement parts for automotive vehicles, advertising media. Maintenance of electric power tools, pin driver technology and pneumatic tools as well as testing of fall arrest systems, length measuring tools (laser technology) and tools for torque measurement**

has established and applies an Environmental Management System.

An audit was performed and has furnished proof
that the requirements according to

## DIN EN ISO 14001:2015

are fulfilled.

The certificate is valid from **2024-05-24** until **2027-05-23**.

Fred Wenke
Head of Certification Body
Munich, 2024-03-13

IAF MLA DAkkS Deutsche Akkreditierungsstelle D-ZM-14143-01-00

MS/01-07/2023

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Management Service

# CERTIFICATE

**The Certification Body**
**of TÜV SÜD Management Service GmbH**

certifies that

## Adolf Würth GmbH & Co. KG

**Reinhold-Würth-Str. 12-17 • 74653 Künzelsau**
**Germany**

has established and applies
an Energy Management System for

**Development and distribution of fasteners, hand tools and storage systems. Distribution of products (standard parts, special parts, systems) for industrial safety, construction, workshops, fire protection technology, chemical-technical applications, anchor technology, direct assembly, electrical installations, material processing, installation, measuring technology, soldering and welding technology, as well as of products such as electrical and pneumatic tools and machines, small and replacement parts for automotive vehicles, advertising media. Installation of storage systems including load securing in automotive vehicles. Maintenance of electric power tools, pin driver technology and pneumatic tools as well as testing of fall arrest systems, length measuring tools (laser technology) and tools for torque measurement**.

An audit was performed, Order No. **70020920**.

Proof has been furnished that the requirements
according to

## ISO 50001:2018

are fulfilled.

The certificate is valid in conjunction
with the main certificate from **2022-10-04** until **2025-10-03**.

Certificate Registration No.: **12 340 23791/01 TMS**.

Head of Certification Body
Munich, 2022-10-05

DAkkS Deutsche Akkreditierungsstelle D-ZM-14143-01-00

MS/01-01/2019

WÜRTH

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

**Trade License**



حكومة دبي
GOVERNMENT OF DUBAI

DUBAI
للاقتصاد والسياحة
Economy and Tourism

# رخصة تجارية
# Commercial License

## License Details / تفاصيل الرخصة

| | | | |
|---|---|---|---|
| License No. | 572033 | رقم الرخصة | |
| Company Name | WURTH GULF (L L C) | اسم الشركة | وورث جلف (شركة ذات مسئولية محدودة) |
| Business Name | WURTH GULF (L L C) | الاسم التجاري | وورث جلف (ش ذ م م) |
| License Category | Dep. of Economic Development | فئة الرخصة | دائرة التنمية الاقتصادية |
| Legal Type | Limited Liability Company - Single Owner(LLC - SO) | الشكل القانونى | شركة ذات مسؤولية محدودة - الشخص الواحد (ذ.م.م) |
| Expiry Date | 05/08/2026 | تاريخ الإنتهاء | Issue Date 06/08/2005 تاريخ الإصدار |
| D&B D-U-N-S ® N | 561529749 | الرقم العالمى | Main License No. 572033 رقم الرخصة الام |
| Register No. | 1778252 | رقم السجل التجارى | DCCI No. 99967 عضوية الغرفة |

## License Members / الاطراف

| رقم الشخص/No. | الإسم / Name | الجنسية / Nationality | الصفة / Role | الحصص / Share |
|---|---|---|---|---|
| 1162256 | وورث جلف م م ح<br>WURTH GULF FZE | United Arab Emirates / الامارات | Shares Owner / مالك حصص | 100.00% |
| 1070435 | جيان لوس مارسيل تيسمار<br>JEAN LUC MARCEL THESMAR | فرنسا / France | Manager / مدير | |
| 1162255 | موكانى توفيق احمد موكانى اقبال احمد<br>MOOKANE THAUFEEQUE AHMED<br>MOOKANE IQBAL AHMED | الهند / India | Manager / مدير | |

## License Activities / أنشطة الرخصة

| النشاط | الحالة | Status | Activity |
|---|---|---|---|
| تجارة المواد المقاومة والمانعة لإنتشار الحريق | فعال | Active | Fire Resistant & Retardant Materials Trading |
| تجارة عامة | فعال | Active | General Trading |

Print Date 07/08/2025 20:09 تاريخ الطباعة

Receipt No. رقم الإيصال

الإمـــارات
THE EMIRATES

يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year
احصل على زوهو ون مجاناً للسنة الاولى
Zoho.com/det

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمزالاستجابة السريعة

This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

## العنوان / Address

| | | | |
|---|---|---|---|
| صندوق بريد | 17036 | P.O. Box | |
| رقم القطعة | 613-767 | Parcel ID | |
| البريد الإلكتروني | mohamed.elsadig@wurth.ae | Email | |

محل 02 ملك علي احمد خلفان - بردبي - راس الخور الصناعية الثانية

| | | | |
|---|---|---|---|
| تليفون | 971-4-8834229 | Phone No | |
| فاكس | 971-4-8834303 | Fax No | |
| هاتف متحرك | 971-50-7098917 | Mobile No | |

## الملاحظات / Remarks

نقل الموقع بتاريخ 5/5/2015

رقم الإيصال Receipt No.

تاريخ الطباعة 20:09 07/08/2025 Print Date

Get FREE access to Zoho One for the first year
احصل على زوهو ون مجاناً للسنة الاولى
Zoho.com/det

يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

الإمارات THE EMIRATES

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمزالاستجابة السريعة
This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

حكومة دبي
GOVERNMENT OF DUBAI

دبي للاقتصاد والسياحة
Economy and Tourism

# شهادة شهر قيد شركة فى السجل التجارى
# Commercial Register

## تفاصيل القيد / Register Details

| | | | |
|---|---|---|---|
| رقم القيد | 1778252 | Register No. | |
| الاسم التجاري | وورث جلف (شركة ذات مسئولية محدودة) | | |
| الشكل القانونى | شركة ذات مسؤولية محدودة - الشخص الواحد (ذ.م.م.) | | |
| تاريخ الإصدار | 03/08/2005 | Reg. Date | |
| الرقم العالمي | 561529749 | | |

| | | | |
|---|---|---|---|
| Main Lice. Nr | 572033 | رقم الرخصة الأم | |
| Business Name | WURTH GULF (L L C) | | |
| Legal Type | Limited Liability Company - Single Owner(LLC - SO) | | |
| Expiry Date | 05/08/2026 | تاريخ الإنتهاء | |
| D&B D-U-N-S ® No. | | | |

## تفاصيل راس المال / Capital Details

| | | | |
|---|---|---|---|
| الإسمى | 300,000.00 | Nominated | |
| المدفوع | 300,000 | Paid | |
| عدد الأسهم | 300 | No. of Shares | |
| العملة | درهم إماراتي | Currency | UAE Dirhams |

## عنوان الرخصة / License Address

## عنوان السجل التجاري / Commerce Address

محل 02 ملك علي احمد خلفان - بردبي - راس الخور الصناعية الثانية

## أنشطة السجل / Register Activities

| | |
|---|---|
| تجارة المواد المقاومة والمانعة لإنتشار الحريق | Fire Resistant & Retardant Materials Trading |
| تجارة عامة | General Trading |

| | | | | | |
|---|---|---|---|---|---|
| Print Date | 07/08/2025 | 20:09 | تاريخ الطباعة | Receipt No. | رقم الإيصال |

الإمارات
THE EMIRATES

يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year
احصل على زوهو ون مجاناً للسنة الاولى
Zoho.com/det

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمزالاستجابة السريعة

This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

## الفروع / Branches

| رقم الرخصة<br>License No | الاسم التجارى<br>Business Name |
|---|---|
| 961444 | وورث جلف (ش ذ م م) (فرع)<br>WURTH GULF (L L C) (BRANCH) |
| 1007865 | وورث جلف (ش ذ م م) (فرع)<br>WURTH GULF (L L C) (BRANCH) |
| 1218999 | وورث جلف (ش ذ م م) (فرع)<br>WURTH GULF (L L C) (BRANCH) |



يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year
احصل على زوهو ون مجاناً للسنة الاولى
Zoho.com/det

الإمارات THE EMIRATES

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمزالاستجابة السريعة

This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

# Receipt الرصيد

| | | | | | |
|---|---|---|---|---|---|
| **Receipt Date** | **07/08/2025** | **تاريخ الإيصال** | **Receipt No** | **16705333** | **رقم الإيصال** |
| **Business Name** | WURTH GULF (L L C) | | | ورث جلف )ش ذ م م( | **اسم الشخص** |
| **Procedure** | Renew License,Modify Location | | | Renew License,Modify Location | **نوع الاجراء** |
| **P.V.Nr.** | **24404931** | **رقم إذن الدفع** | **License Nr.** | **572033** | **رقم الرخصه** |
| **Payment Mode** | eGovernment Online Payment | | | eGovernment Online Payment | **كيفية الدفع** |
| **Amount in Words** | Twenty One Thousand Eight Hundred and Fifteen Dirhams | | | واحد وعشرون الفا وثمانمئة وخمسة عشر درهما | **القيمة بالحروف** |



**Print Date** 07/08/2025 20:09 **تاريخ الطباعة** **Receipt No.** **رقم الإيصال**

الإمارات
THE EMIRATES

يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get **FREE** access to Zoho One for the first year
احصل على زوهو ون **مجاناً** للسنة الاولى
Zoho.com/det

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمزالاستجابة السريعة

This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

حكومة دبي
GOVERNMENT OF DUBAI

دبي
للاقتصاد والسياحة
Economy and Tourism

**عزيزي التاجر،،**

**يرجى اخذ التعليمات التالية بعين الاعتبار:**

1. عدم القيام بتغيير موقع الترخيص والانتقال الى موقع اخر دون الحصول على موافقة الدائرة.

2. ضرورة ان يكون الاسم التجاري المدون على اللافتة مطابق للاسم المدون بالرخصة مع ضرورة كتابته بحجم واحد.

الحرص على أن تكون اللافتة باللغتين العربية والانجليزية و بالشكل التالي:

- يكتب الاسم التجاري باللغة العربية في يمين اللافتة وباللغة الإنجليزية تجاه اليسار.

- يكتب الاسم التجاري باللغة العربية بنفس حجم الاسم المكتوب باللغة الانجليزية

- يكتب الاسم التجاري باللغة العربية أعلى الاسم المكتوب باللغة الانجليزية

3. الحرص على استخراج تصريح للافتات الاضافيه والعلامات التجارية على اللافتة.

4. عدم تظليل الواجهة أكثر من 50%

5. عدم العمل لساعات اضافية بعد الساعة 12:00 بعد منتصف الليل الا بعد استخراج تصريح.

6. عدم اجراء التنزيلات او التصفيات او العروض الخاصه بدون تصريح.

7. عدم اجراء اي تعديل او تغيير بيانات الترخيص الا بعد الرجوع للدائرة.

8. الالتزام بكتابة الاسعار على السلع والبضائع.

9. طباعة ووضع بطاقة حماية المستهلك (كن على حق واعرف حقوقك كمستهلك) في مكان بارز من موقع الدائرة www.consumerrights.ae

10. للمستهلك الحق في الحصول على فاتورة الشراء.

11. الاعلان عن سياسة البيع للمستهلك عبر وسيلة اعلان مناسبة شاملة (لعملية الاسترجاع او الاستبدال او الاصلاح للسلع)

12. عدم الترويج عن منتج عن طريق المندوبين، أو الاتصال أو غير ذلك وعدم البيع بطريقة المناداه

13. استخراج تصريح لمستودعات التخزين الخاصة بالمنشأة المرخصة أو تصريح للمكاتب الإضافية أو الاكشاك.

14. يجب على المطاعم وضع قائمه الطعام باللغتين العربيه والانجليزيه.

15. يجب وضع واعتماد قائمة الاسعار الخاصة بالصالونات الرجالية والنسائية ووضعها في مكان بارز.

16. يجب ان تكون الاسعار المعلنه مشمولة القيمة المضافه 5%

17. يجب عرض الفاتورة بشكل تفصيلي موضحا فيها القيمه الاجماليه للسلع والخدمات وقيمة الضريبه المضافه.

18. عدم القيام بالترويج او البيع او العرض لأية بضائع مقلدة أو مغشوشة.

**Dear Merchants,**

**Kindly take the following instruction into high consideration:**

1. It is not allowed to change the location registered in the license to move to another address unless DET approval is obtained.
2. The business name on the signboard must conform to the name mentioned in t license and typed in one size.

The business name must be in both Arabic and English as follows:

- The business name in Arabic must be placed on the right hand side of the signboard whereas the English text on the left hand side.
- The Arabic text must be in same size of the English equivalent
- The Arabic business name must be placed above the English equivalent.

3. A commercial permit must be issued for additional signboards and for placing trademarks on the signboard.
4. Text must not occupy more than 50% of the signboard.
5. Shops operating hours must not exceed 12:00 am unless a permit is issued.
6. Discounts, sales or special offers must not be announces unless a permit is issu
7. It is not allowed to apply any amendments or change the license details unless approved by DET.
8. Prices must be placed on products and goods.
9. The Consumer Protection Card (Be Right and Know Your Consumer Rights) mu be typed and placed visibly above the DET website www.consumerrights.ae
10. Consumers have the right to receive a purchase receipt.
11. Announce the sale policy to consumer through suitable applicable channels (t clarify procedures for goods replacement, repair and refund).
12. It is not allowed to promote products through agents, telephone calls, or othe ways or yelling.
13. Permits must be issued for warehouses of licensed business or additional offi or kiosks.
14. Restaurants must place a menu in both Arabic and English languages.
15. Place an approved price list for services provided by ladies and gentlemen salons at a visible area.
16. The displayed price list should be inclusive of 5% VAT
17. Invoices must clearly reflect the total amount of the purchased goods, service and VAT.
18. Avoid promoting or selling or displaying any counterfeited goods.
19. To protect trade marks, it must be registered by the Ministry of Economy.
20. The Department of Economy & Tourism in Dubai has the right to suspend or

**رقم الإيصال** **Receipt No.** **تاريخ الطباعة** 20:09 07/08/2025 **Print Date**

الإمارات
THE EMIRATES

**يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.**

**Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.**

Get **FREE** access to Zoho One for the first year
احصل على زوهو ون **مجاناً** للسنة الاولى
Zoho.com/det

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي .لمراجعة صحة البيانات الواردة في الرخصة يرجى مسح رمز الاستجابة السريعة
This is a certified e-document issued without signature by the department of Economy and Tourism .Kindly scan the QR Code to verify the certificate

# شهادة تسجيل العضوية
# Membership Certificate

| | | | |
|---|---|---|---|
| **License no.** | 572033 | 572033 | رقم الرخصة |
| **Membership no.** | 99967 | 99967 | رقم العضوية |
| **Registration no.** | 1778252 | 1778252 | رقم السجل التجاري |
| **Business Name** | WURTH GULF (L L C) | وورث جلف (ش ذ م م) | الاسم التجاري |
| **Legal Status** | Limited Liability Company - Sing | شركة ذات مسؤولية محدودة - الشخص | الشكل القانوني |
| **Activity** | Fire Resistant & Retardant Materials Trading<br>General Trading | تجارة المواد المقاومة والمانعة لإنتشار الحريق<br>تجارة عامة | نوع النشاط |
| **Member Since** | 06/08/2005 | 06/08/2005 | تاريخ الإنتساب |
| **Date of Issue** | 06/08/2005 | 06/08/2005 | تاريخ الإصدار |
| **Expiry Date** | 05/08/2026 | 05/08/2026 | تاريخ الإنتهاء |

**Remarks**

This certificate shall be invalid incase of any alteration without chamber's authorization

For online verification of this Certificate, please visit our website http://www.dubaichamber.ae/verify

**الملاحظات**

تعتبر هذه الشهادة لاغية في حال أي كشط أو تعديل عليها دون اعتماد ذلك من الغرفة


للتأكد من صحة بيانات الشهادة يرجى الرجوع إلى موقع الغرفة http://www.dubaichamber.ae/verify

غرفة تجارة وصناعة دبي
Dubai Chamber of Commerce & Industry

P.O. Box 1457 - Dubai, U.A.E. | Tel (Within UAE) 800 CHAMBER (800 2426237) | Tel (Outside UAE) (+971) 4 2280000 هاتف
Fax (+971) 4 2211646 فاكس | customercare@dubaichamber.ae | www.dubaichamber.ae

# WURTH GULF
# PROJECT REFERENCES





**MIDFIELD TERMINAL AIRPORT**
**Location:** AUH
**Client:** ADAC
**Consultant**: Arup/ AECOM
**Contractor**: J TA /CCC/ARABTEC
**WURTH ITEMS**: Pure Epoxy PE 500, Fix-anchor, Assembly Foam



**BAYNUNAH ACADEMIC COMPLE**
**Location:** AUH
**Client:** Institute of Applied Technology
**Consultant**: Syrconsult
**Contractor**: Fibrex
**WURTH ITEMS**: Pure Epoxy PE 500



**DUBAI INTERNATIONAL AIRPORT**
**Location:** D B
**Client:** DAR
**Consultant**: ADPI
**Contractor**: ALEC
**WURTH ITEMS**: Pure Epoxy PE 500

**GOLD CREST TOWER**
**Location:** D B
**Client:** Mazyood Giga International
**Consultant**: ATKINS
**Contractor**: Al Habtoor
**WURTH ITEMS**: Assembly Foam all fire classified.



**AL SAHEL TOWER**
**Location:** AUH
**Client:** H.H. Mohammad Bin Khalid
**Consultant**: Golden Planner
**Contractor**: S uare General Construction
**WURTH ITEMS**: All Sealants/ Assembly foam and power tools used by the contractors.



**AL MUSHRIF VILLAS**
**Location:** AUH
**Client:** H.H. Mohammad Bin Khalid
**Consultant**: Golden Planner
**Contractor**: Square General Cont.
**WURTH ITEMS**: All Sealants/ Assembly foam and power tools used by the contractors.





**B  B HOTEL**
**Location:** AUH
**Client:** AL FAHEEM
**Consultant**: Jane Consultant
**Contractor**: S  uare General Construction
**WURTH ITEMS**: All Sealants/ Assembly foam and power tools used by the contractors.




**TUSKAN RESIDENCE**
**Location:** D  B
**Client:** DAMAC
**Consultant**: KONIN
**Contractor**: S  uare General Construction
**WURTH ITEMS**: All Sealants/ Assembly foam and power tools used by the contractors.



**RESIDENTIAL BUILDING ABU DHABI POLICE**
**Location:** Abu Dhabi
**Client:** Police Project Committee
**Consultant**: Architectural and Engineering Consultant
**Contractor**: Abu Dhabi Contracting
**WURTH ITEMS**: Assembly Foam B3

**GOLD SOUK DFC**
**Location:** D B
**Client:** Al-Futaim Group
**Consultant**: DFC Project Management
**Contractor**: Depa Interiors
**WURTH ITEMS**: All Sealants/ Assembly foam all Fire Classified.




**GOLD SOUK DFC**
**Location:** D B
**Client:** Al-Futaim Group
**Consultant**: DFC Project Management
**Contractor**: Depa Interiors
**WURTH ITEMS**: All Sealants/ Assembly foam all Fire Classified.



**HARBOUR PLAZA**
**Location:** D B
**Client:** Al-Futaim Group
**Consultant**: MAZRAKI FBK
**Contractor**: Al-Futaim Callirion
**WURTH ITEMS**: All Sealants





**JBR SECTOR**
**Location:** D B
**Client:** Jumiera Beach Residences
**Consultant**: Hyder Cons. Middle East
**Contractor**: Bin Lahej Alum.
**WURTH ITEMS**: All Sealants.



**JBR**
**Location:** D B
**Client:** TECOM
**Consultant**: RMJM
**Contractor**: Al Habtoor
**WURTH ITEMS**: All Sealants.




**JBR**
**Location:** D B
**Client:**TECOM
**Consultant**: RMJM
**Contractor**: NASA Multiplex
**WURTH ITEMS**: All Sealants.

**DUBAI INTERNET CITY**
**Location:** D B
**Client:** JAFZA
**Consultant**: NEB
**Contractor**: Al Shafar Contracting
**WURTH ITEMS**: All Sealants/ Assembly foam all Fire Classified.



**AL GHURAIR APARTMENTS**
**Location:** D B
**Client:** Al Ghurair
**Consultant**: Fraser Nag
**Contractor**: ASCON
**WURTH ITEMS**: All Sealants



**HARBOUR PLAZA**
**Location:** D B
**Client:** Al-Futaim Group
**Consultant**: MAZRAKI FBK
**Contractor**: Al-Futaim Callirion
**WURTH ITEMS**: All Sealants





**DSC CRICKET STADIUM**
**Location:** D B
**Client:** Dubai land
**Consultant**: Hyder Cons. Middle East
**Contractor**: Alpine GmbH
**WURTH ITEMS**: All tools, chemicals and power tools.



**ATLANTIS**
**Location:** D B
**Client:** NAKHEEL
**Consultant**: Mueser Rutledge
**Contractor**: Golden Arror
**WURTH ITEMS**: All sealants/ Assembly Foam all fire classified



**ATLANTIS**
**Location:** D B
**Client:** NAKHEEL
**Consultant**: Mueser Rutledge
**Contractor**: Wood Tech
**WURTH ITEMS**: All sealants/ Assembly Foam all fire classified

**CROWN PLAZA**
**Location:** D B
**Client:** Al - Futaim Group
**Consultant**: NEB
National Engineering Bureu
**Contractor**: Drake and Scull International
**WURTH ITEMS**: Stainless Steel Fasteners



**INTERCONTINENTAL**
**DUBAI FESTIVAL CITY**
**Location:** D B
**Client:** Al - Futaim Group
**Consultant**: NEB
National Engineering Bureu
**Contractor**: Schmidlin LLC
**WURTH ITEMS**: Stainless Steel Fasteners




**PARK TOWERS BY DAMAC**
**Location:** D B
**Client:** DAMAC Properties
**Consultant**: Engineering Consultant
Group ECG
**Contractor**: Target Engineering Const.Co.
**WURTH ITEMS**: Assembly Foam
all fire classied.





**SKY TOWER AL REEM ISLAND**
**Location:** AUH
**Client:** Sorouh adn Al Reem Investments
**Consultant**: Nurol Group
**Contractor**: Arabian Construction Company ACC
**WURTH ITEMS**: Power Tools/ Sealants



**AL REEF VILLAS**
**Location:** AUH
**Client:** Manazel
**Consultant**: Crown Engineering Consultants/ Edward Lewis Consultant
**Contractor**: FIBREX LLC.
**WURTH ITEMS**: Power Tools/ Sealants/Anchors/ Assembly Foam



**DUBAI INTERNATIONAL AIRPORT**
**Location:** D B
**Client:** Emirates
**Consultant**: iMCC Management Consulting
**Contractor**: ALEC
**WURTH ITEMS**: Fasteners


**FERRARI WOLD ABU DHABI**
**Location:** AUH
**Client:** Al Dar Properties
**Consultant**: Benoy Architects with the Rambol Group
**Contractor**: Joint venture between Aldar Properties, the client and Besix, Belgian contractors. The civil contractor is Six Construct, and the interior finishes contractor is DEPA.
**WURTH ITEMS**: Fire stop materials and fasteners



**DUBAI METRO RED**
**Location:** D B
**Client:** RTA
**Consultant**: Kellogg Brown and Root KBR
**Contractor**: LIDER DEPA Interior
**WURTH ITEMS**: Fasteners



**ROSE TOWER**
**Location:** D B
**Client:** Al Habtoor
**Consultant**: Khatib and Alami
**Contractor**: DEPA
**WURTH ITEMS**: Assembly Foam / Silicone Acetate Sealant Fasteners



# MATERIAL SUBMITTAL FORM - MSF

| Part A: Project & Record Information: | | | |
|---|---|---|---|
| Project Name | **Renovation of Al Sariya School - Sweihan** | MSF Ref. No | MS-1838-CVL-BEC-HCNI-0032-00 |
| The Client | **Abu Dhabi Department of Education & Knowledge** | Revision | **00** |
| The Employer | **PROVIS Integrated Management Services** | Issue Date: | **18/09/2023** |
| Engineer | **Bainona Engineering Consultancy** | Page | **1 of 2** |
| Contractor | **Al Hewar Cont. & Irrigation Est.** | | |

| Part B: Material Submittal Discipline / Description: | | | | | | |
|---|---|---|---|---|---|---|
| Related Discipline | ☒ | Civil | ☒ | Architectural | ☐ | Electrical |
| | ☐ | Mechanical | ☐ | Plumbing | ☐ | Landscaping |
| | ☐ | Others (Specify): | | | | |

| Part C: Material Description (Proposed) | Location to beused | Brand/Origin | Manufacturer /Supplier | Specified Material |
|---|---|---|---|---|
| **Acrylic Sealant** | **Interior** | **Wurth** | **Wurth** | **Acrylic Sealant White** |

| Attachments: Tick (x) where applicable | | | | | | | |
|---|---|---|---|---|---|---|---|
| ☒ | Product Data Sheet / Catalogue | ☐ | Sample / Mockup | ☐ | Drawings / BOQ / Spec | ☒ | Warranties |

**Contractor's Review:**

We do certify that the submitted information herewith has been reviewed in details and in accordance with the Contract Documents except as otherwise stated here above.

| | Discipline Engineer | QA/QC Engineer | Project Manager |
|---|---|---|---|
| **Name** | | **Eng. Murshid** | **Eng. Ahmed Hussein** |
| **Signature** | | | |
| **Date** | | **18/09/2023** | **18/09/2023** |

HCNI مؤسسة الحوار للمقاولات والري Al Hewar Cont. & Irrigation Est. ALSARIYA SCHOOL PROJECTS Signature

| Part D. Consultant Use Only: | |
|---|---|
| **Engineer's Comments** | - Approved subject to compliance with project specifications and requirements.<br>- Storage and application should strictly adhere to manufacturer recommendations<br>- Draft warranty to be submitted as per project contract. |
| **Engineer's Comments** | |

*Note(1): Employer's/ Engineer's approval is for conformance with information given and design concept expressed in Contract Documents. Approval does not authorize changes to Contract Documents. Employer's/ Engineer's approval does not relieve the Contractor from his contractual obligation to ensure conformance to all Contract Documents. Any deviations, to the Contract Documents found subsequent to Employer's/ Engineer's approval are to be corrected by the Contractor at no extra Cost/Time to the Employer.*

| | | | | |
|---|---|---|---|---|
| | | | | |
| **Engineer Approval** | ☐ | **A: Approved** | ☑ | **B: Approved with Comments** |
| | ☐ | **C: Revise & Resubmit** | ☐ | **D: Rejected** |
| **For Consultant** | **HSE** | **Discipline Engineer** | **QA/QC** | **Resident Engineer** |
| **Name** | | Engr. Khaled Saber | | |
| **Signature** | | | | |
| **Date** | | 20-09-2023 | | |

بينونة للاستشارات الهندسية BAINONA Engineering Consultancy Project 1838 Refurbishment of Al Sariya School [Sweihan]

| **Part E. PROVIS USE ONLY:** | | | | |
|---|---|---|---|---|
| **Employer's Comments** | | | | |
| **Employer/Approval** | ☐ | **A: Approved** | ☐ | **B: Approved with Comments** |
| | ☐ | **C: Revise & Resubmit** | ☐ | **D: Rejected** |

| | | |
|---|---|---|
| **Approval Project /Technical Engineer** | **Name:** | **Signature:** |
| **Approval Manager /Project Manager** | **Name:** | **Signature:** |
| **Approval Technical Manager /Project Lead** | **Name:** | **Signature:** |
| **Approval Sr. Account Manager/Sr. Project Manager** | **Name:** | **Signature:** |

*Note(1): Employer's/ Engineer's approval is for conformance with information given and design concept expressed in Contract Documents. Approval does not authorize changes to Contract Documents. Employer's/ Engineer's approval does not relieve the Contractor from his contractual obligation to ensure conformance to all Contract Documents. Any deviations, to the Contract Documents found subsequent to Employer's/ Engineer's approval are to be corrected by the Contractor at no extra Cost/Time to the Employer.*

| Client: JMS | Project: Al Rayyan Complex, Plot N° 509, Al Nahda, Sharjah | Consultant: B+H Architects Middle East |
|---|---|---|
| TERNA S.A. GEK TERNA GROUP | | |

# Material Submittal

| From: | To: |
|---|---|
| **Terna S.A. GEK Terna Group**<br>**P. O. Box 24655, Sharjah-UAE** | **B+H Architects Middle East**<br>**P. O. Box 25436, Dubai-UAE** |

| Submittal N° | 106 | Rev. | 0 | Date: | 14-Aug-2014 |
|---|---|---|---|---|---|

Trade: (Specify)

■ Civil ☐ Architectural ☐ Mech. & Plum ☐ Electrical ☐ Other

Attachments:

■ Company Profile ■ MSDS ☐
■ Product Information ■ ISO Certificate ☐
■ User Manual ■ Trade Licenses ☐

| | | | | | |
|---|---|---|---|---|---|
| Material Description | Painter's Acrylic by WURTH (Flexible Paintable Sealant) | | | | |
| Reference | | | Specification | | BOQ |
| Area of Application | Non Firated Walls | | | | |
| Supplier | Wurth | | | | |
| Manufacturer | Wurth | | | | |
| Origin | Germany | | | | |
| Lead Time | 01 Week | Date of Requirement | 19-Aug-2014 | | |

We certify, this material has been reviewed in details and in compliance with approved drawings and Specifications except and otherwise stated here. Your kind review/approval/comments are required for our further actions.

Submitted by:

Originator — Material Engineer — Project Manager

**Consultant's Review & Comments:**

The material submitted is approved.

2014.08.18

**Signature & Date of the Consultant**

- ☑ A-Approved
- ☐ B-Approved as Noted (Resubmission not required)
- ☐ C-Approved with Comments (Resubmission required)
- ☐ D-Additional Information Required
- ☐ E-Rejected (Resubmission required)
- ☐ F-Noted

**Received by Contractor's Document Controller Stamp/Sign/Date**

19 AUG 2014

B+H Architects 2:50pm 14 AUG 2014 RECEIVED

DUBAI WORLD TRADE CENTRE

中建中東有限責任公司
CHINA STATE CONSTRUCTION ENGRG. CORP. (MIDDLE EAST)(L.L.C)

KEO

# SITE TRANSMITTAL of Shop Drawings, Materials, etc.

TRANSMITTAL NO : CSC/EV-P7/TS/00117

REV : 01

To: KEO International Consultants

| PROJECT | DIV/PACKAGE | OWNER | CONTRACTOR |
|---|---|---|---|
| EXPO VILLAGE | CP07 | DWTC | CSCEC |

WE ARE SENDING HEREWITH THE DRAWINGS / DOCUMENTS / SAMPLES LISTED BELOW FOR YOUR REVIEW.

| ITEM NO. | REF. No. | GENERAL DESCRIPTION AND REVISION DETAILS | TYPE (i) | COPIES | ACTION CODE (ii) |
|---|---|---|---|---|---|
| 1 | PN1502-CP07-PQ-ST-CSC-00117 | Prequalification for M/S Wurth Gulf for Manufacture and Supply of Joint Sealant | OT | 1 | B |
| | | | | | |
| | | | | | |

We certify that the items submitted herewith have been reviewed in detail and are in strict conformance with the Contract Drawings and Specifications except as otherwise stated.

CONTRACTOR :

DATE: 18-Jun-18

RECEIVED BY KEO :

DATE:

**KEO'S REMARKS :**

No objection subject to comply with project specifications, DM requirements, and Manufacturer recommendations.

Corrections or comments made relative to submittals during this review does not relieve the contractor from compliance with the requirements of his Contract, drawings and specifications. This review is only in respect of general conformance with the design intent of the project and general compliance with the information given in the Contract documents. The contractor remains responsible, among other things, for the design of the project or such parts of the project he has design responsibility for (if design forms part of the Contract), for confirming and correlating all quantities and dimensions, selecting fabrication processes and techniques of construction, coordinating his work with that of other trades, and performing his work in a safe and satisfactory manner, all in accordance with the Contract.

KEO CM / RE

DATE:

RECEIVED BY CONTRACTOR :

DATE:

**(i) TYPE:**
- SD: Shop Drawings
- SM: Sample
- GT: Guarantee
- MD: Manufacturer's Data
- CT: Certificates
- OT: Others

**(ii) ACTION CODE:**
- A: No objection
- B: No objection subject to incorporation of all comments as noted
- C: Rejected, to be resubmitted

© KEO International Consultants W.L.L.

# REPORT ON DETERMINATION OF VOLATILE ORGANIC COMPOUND IN ACRYLIC SEALANT



| | | | | | |
|---|---|---|---|---|---|
| Client | : | Wurth Gulf FZE | Report No. | : | **ADR-2012/7230** |
| Consultant | : | Not Provided | Lab Ref No. | : | **ADQ-2012/3342** |
| Contractor | : | Not Provided | Lab Project No. | : | **OG-1034** |
| Project Name | : | Material Testing | Client Reference No | : | Not Provided |
| Source | : | Client | Sampling Date | : | Not Provided |
| Sample Description | : | **Wurth Acrylic Sealant White 310ml Art.No. 1892 165** | Date received | : | 17/12/2020 |
| | | | Date Test Started | : | 23/12/2020 |
| Sampled By | : | Client | Date Test Completed | : | 23/12/2020 |
| Sample Brought By | : | Client | Reporting Date | : | 31/12/2020 |
| Ambient Temperature | : | 23±2 °C | Test Location | : | Mlab |
| Relative Humidity | : | 50±5 % | Tested by | : | ADK |

**Test Result:**

| Test Name | Test Method | Unit | Result |
|---|---|---|---|
| Volatile Organic Compound (VOC's) | ASTM D3960 | g/L | **16.4** |

Test method variation : None
Remarks : None

ص.ب ١١٤٧١٧، دبي، دولة الإمارات العربية المتحدة
ماتيريال لاب
Material Lab
P.O.BOX: 114717, Dubai, United Arab Emirates

Authorized Signatory
سيد نواز رضوي
Syed N. Rizvi
Manager (OGEC)

Results relate only to the tested.
This report shall not be reproduced except in full , without written approval of the laboratory



المكاتب : Offices:
دبي : متريال لاب - القوز | متريال لاب لخدمات الفحص ذ.م.م - مجمع دبي للاستثمار
ابوظبي : متريال لاب لخدمات الفحص ذ.م.م. مصفح
Dubai: Material Lab, Al Quoz: +971 4 340 5678
Material Lab Testing Services L.L.C., Dubai Investment Park: +971 4 333 9562, Abu Dhabi: Material Lab Testing Services L.L.C., Mussafah: +971 2 550 3040
Dubai: +971 4 340 5677
Abu Dhabi: +971 2 550 3041
www.mlab.ae
Dubai: 114717
Abu Dhabi: 61831
mld@eim.ae
mlab@mlab.ae

AL TELAL

| The Employer | The Engineer : | The Contractor : |
|---|---|---|
| عبدالله الرستماني للعقارات ذ.م.م<br>ABDULLA AL ROSTAMANI PROPERTIES L.L.C | LACASA<br>Architects & Engineering Consultants | الرستماني بيجل ذ.م.م<br>AL ROSTAMANI PEGEL L.L.C. |

# MATERIAL APPROVAL SUBMITTAL

| Submittal Date: | 04 AUG 2022 | Submittal Reference: | P090-ARCH-MAS 026 | Rev. No: | 1 |
|---|---|---|---|---|---|

Material Description
acrylic sealant interior

P090-ARCH-MAS 026 R1

☐ Refer to the Attached Summary of Proposed Materials

Location Of Use [i.e. floor, room, area]
for internal wall in dray area

☑ with sample

specification section : section 79200

RECEIVED
08 AUG 2022
P090 BARSHA HEIGHTS

| Manufacturer Details | Supplier Details |
|---|---|
| Name: M/s Wurth Gulf FZE | Name: M/s Wurth Gulf FZE |
| Country of origin: UAE | Country of origin: UAE |
| Address: UAE | Address: UAE |

1 Compliance statement should be included in the submittal
2 Copy of the Contract Specification Section should be included in the submittal
3 All sheets must be signed & sealed by the Contractor and the Specialist Subcontractor(s)
4 Submittal reference number should be noted on the attachments

RECEIVED
04 AUG 2022

The Contractor Representative Signature

Date :
04 AUG 2022

## THE ENGINEER COMMENTS

To comply with project specification
To comply with the product M.S. & instructions
To provide site Mock-up for final approval.

## ACTION (As Marked)

Status

☐ Approved ☑ Approved as Noted ☐ Revised and Resubmit ☐ Samples and /or additional data required ☐ Not Approved

| For the Engineer: | For The Employer: |
|---|---|
| Date | Date |



Scanned with CamScanner

WÜRTH

# WÜRTH GULF SUBMITTAL
# ACRYLIC SEALANT INTERIOR

