WÜRTH

TRADE BEST OF

Construction & Mobility Trade



RUSH

The W-MAX RUSH cutting disc was developed to provide the perfect balance between cost and performance, offering superior cutting power with excellent financial accessibility compared to competitors.

Metal can packaging helps preserve disc performance, ensuring better storage and longer shelf life.



W-MAX Cutting Disc is designed to deliver fast and precise cuts on stainless steel and carbon steel: offering one of the best value-for-money ratios in its category.

Certified according to ANSI B7.1, ABNT NBR 15230, and EN 12413, this disc is manufactured using premium abrasives, advanced resin bonding, and high-strength fiberglass mesh.



CUTTING DISC FOR STEEL AND STAINLESS STEEL

Art.	Dimension in mm	Dimension in inch	P.Qty	P.Type	Disc Type
5986211151	115 x 1,0 x 22,23	4 ½ x 3/64" x 7/8"	50	Metal can	T41

The formulation is free from chlorine, iron and sulphur, ensuring that stainless steel surfaces remain uncontaminated and clean after cutting. It also produces very low fumes, making it a safer and more comfortable choice for users.

It is perfectly suited for maintenance, installation works and repairs, including cutting sheet metal, steel beams, pipes, ducts, cable boxes, solid bars, wire ropes, metal frames, and much more.

This combination ensures:

- **Low friction for cooler cutting and reduced heat buildup**
- **Faster cutting speed with less effort**
- **Excellent disc stability for smoother, more controlled cuts**

RUSH: FAST CUTS... BETTER PRODUCTIVITY...

RAZOR

The W-MAX RAZOR cutting disc line was developed to meet the highest performance standards, delivering speed, cutting quality, and durability, and meeting the needs of the most demanding applications and professional user

Metal can packaging helps preserve disc performance, ensuring better storage and longer shelf life.



W-MAX Cutting Disc is designed to deliver fast and precise cuts on stainless steel and carbon steel: offering one of the best value-for-money ratios in its category.

Certified according to ANSI B7.1, ABNT NBR 15230, and EN 12413, this disc is manufactured using premium abrasives, advanced resin bonding, and high-strength fiberglass mesh.



CUTTING DISC FOR STEEL AND STAINLESS STEEL

Art.	Dimension in mm	Dimension in inch	P.Qty	P.Type	Disc Type
5986211155	115 x 1,0 x 22,23	4 ½ x 3/64" x 7/8"	50	Metal can	T41

The disc is free from chlorine, iron, and sulphur, preventing stainless-steel contamination, and produces very low fumes, creating a cleaner and safer working environment.

It performs flawlessly on sheet metal, structural beams, thick pipes, HVAC ducts, cable boxes, solid bars, wire ropes, metal frames, and more especially where cut quality and control are criticaL.

This combination ensures:

Low friction:
Smoother cutting with less resistance.

Reduced heat buildup:
Cooler operation and longer disc life.

Faster cutting speed:
Quicker cuts with minimal effort.

Excellent disc stability:
Steady, controlled cutting performance.

RAZOR: BUILT TO CUT... DESIGNED TO LAST...

FLAP DISC

The W-MAX Flap Disc delivers fast grinding and a clean finish on stainless steel and carbon steel, giving professionals the speed and control they need every day. Designed to remove welds quickly and level surfaces smoothly, it offers the perfect balance between strong grinding power and refined finishing quality.

A trusted choice for welders, fabricators, and workshop experts, delivering long life and consistent performance while keeping every job economical.



W-MAX FLAP DISC (INOX) is engineered for customers who need fast grinding, smooth finishing, and long disc life when working on stainless steel, carbon steel, and other metals.

Built with high-density abrasive flaps and reinforced fiberglass backing, it delivers powerful material removal with a clean, professional finish. Using premium Zirconium grains.



FLAP DISC FOR STEEL AND STAINLESS STEEL

Art.	Diameter (mm – Inch)	Backing	Number of Flaps	Grit	P.Qty	P.Type
5986214101	115mm - 4½"	Fiber	72	G40	10	Metal can
5986214102	115mm - 4½"	Fiber	72	G60	10	Metal can
5986214103	115mm - 4½"	Fiber	72	G80	10	Metal can
5986214104	115mm - 4½"	Fiber	72	G120	10	Metal can

The disc offers low-vibration operation, available in four sizes of various grains for tasks ranging from roughing to finishing allowing users to grind comfortably and control their finish more precisely. It is safe for stainless steel, producing clean results without contamination and maintaining consistent performance throughout its life.

It performs flawlessly on weld seams, metal surfaces, rusted areas, paint layers, steel beams, pipes, frames, and more especially where both grinding power and finishing quality matter.

This combination ensures:



One disc for all metals: Iron, Carbon Steel & stainless steel.

High grinding efficiency: Strong bite for quick weld removal and surface leveling.

Smooth finishing: Uniform flap design for cleaner blending and polishing.

Longer durability: High-quality grains and reinforced backing extend disc life.

Better surface contact: Suitable FOR ALL surface geometery.

FLAP DISC: FASTER GRINDING... BETTER FINISHING...

DIAMOND CUTTING DISC

SEGMENTED


W-MAX Segmented Diamond Cutting Discs are designed for general-purpose cutting applications on construction sites. Engineered for cutting stone, concrete, masonry, and other building materials, they provide reliable performance and consistent results. Manufactured to meet EN 13236 standards, they are suitable for professional use with portable cutting machines.

Art.	Dimension in mm	Application	P.Qty
5986221151	115mm - 4½"	Concrete / General	1



Features:

- Excellent balance between cutting speed and durability
- 10 mm segment height for extended service life and improved performance
- Suitable for stone, concrete, masonry, and general construction materials



Concrete | Reinforced Concrete | Granite | Blocks & Masonry

TURBO


W-MAX Turbo Diamond Cutting Discs are designed for fast and efficient cutting of stone, concrete, masonry, and other construction materials. The turbo rim design provides smoother cutting performance and improved cutting speed while maintaining excellent durability. Manufactured according to EN 13236 standards, they are ideal for professional use on construction sites

Art.	Dimension in mm	Application	P.Qty
5986221152	115mm - 4½"	Tile / Ceramic	1



Features:

- Turbo rim design for faster, smoother cutting performance
- 10 mm segment height for extended service life and durability
- Suitable for stone, concrete, masonry, and general construction materials



Concrete | Reinforced Concrete | Granite | Marble | Blocks & Masonry

CONTINUOUS

W-MAX continues rim Diamond Cutting Discs are designed for general-purpose cutting applications on construction sites. Ideal for cutting granite, marble, tiles, and natural stone, they deliver reliable cutting performance and long service life. Manufactured according to EN 13236 standards, they are suitable for professional use with portable cutting machines.

Art.	Dimension in mm	Application	P.Qty
5986222301	230mm - 9"	Concrete / Heavy Duty	1



Features:

- Excellent balance between cutting speed and durability
- 10 mm segment height for extended service life and consistent performance
- Suitable for granite, marble, ceramic tiles, porcelain tiles, and natural stone



Granite | Marble | Tiles & Ceramics

WÜRTH

WELDING ELECTRODES

Strong Welds. Reliable Performance. Premium Grade.



Good weldability in all positions, particularly in descending position.

Good gap closure | Easy slag removal | Even weld texture | Good re-ignition

Art.No.	Description	Standard Classification	AWS Classification
5986251025	Welding Electrode W-MAX RUTILE-6013 D2,5X350MM-2KG	EN ISO 2560-A - E 38 0 RC 1 1	RUTILE E6013
5986251032	Welding Electrode W-MAX RUTILE-6013 D3,2X350MM-2KG		
5986251040	Welding Electrode W-MAX RUTILE-6013 D4,0X350MM-2KG		

Good Weldability
Excellent in all welding positions

Gap Closure
Deep penetration & minimal defects

Reignition
Smooth arc start and re-ignition

W-MAX by WÜRTH

WÜRTH

W-MAX

MORE PRODUCTS
COMING SOON...



by WÜRTH

W-MAX
by WÜRTH



CONSTRUCTION TRADE

Build. Fix. Seal. Protect.

PRODUCT CATEGORIES

- SEALANTS & ADHESIVES
- CUTTING & GRINDING
- DIAMOND TOOLS
- SAFETY EQUIPMENT
- POWER TOOLS
- FASTENERS
- CHEMICALS

GERMAN TECHNOLOGY


BUILT FOR PROFESSIONALS

TRUSTED WORLDWIDE



Fixanchor W-FA/S


Art. no. 5932 0...





Fixanchor W-FA/A4

Art. no. 0904 411...






Sleeve anchor W-CTM hex screw non-ETA

Art. no. 0905 0...



Fixanchor W-FAZ/S


Art. no. 5928 2...





Fixanchor W-FAZ/A4

Art. no. 5928 4...





Metal frame anchor W-CMF 10

Art. no. 0903 010...



Drive-in anchor WSL-ED

Art. no. 5932 8...



Drive-in anchor WSL-ED w. collar

Art. no. 5932 8...




Plastic frame anchor W-IFRC M8 and M10 (GI & A4)

Art. no. 5912 100...



Injectable mortar WIT-PE 510 (585ml)


Art. no. 5918 615 585





All-rounder injectable mortar WIT-VM 250, (420ml/300ml)

Art. no. 0903 450 20...






Cleaning brush, others

Art. no. 0905 4990...
P. Qty.: 1



Chemical injection mortar PURE EPOXY WIT-PE 1000 (585ml)

Art. no. 5918 605 585



SH perforated sleeve for injection systems

Art. no. 0903 44...




W-VD-A anchor rod A4 stainless steel

Art. no. 5915 2...



Chemical injection mortar Concrete Multi WIT-UH 300 (420ml)

Art. no. 5918 500 420





Dual cartridge gun for injection mortar 10:1 380/420ML

Art. no. 0891 003 003
P. Qty.: 1



DUAL CARTRIDGE GUN FOR 585 ML 3:1

Art. no. 0891 003 110
P. Qty.: 1



Cutting disc 1mm TH steel / stainless steel 115 mm, W-MAX RUSH

Art. no. 5986 211 151
P. Qty.: 50



Cutting disc 1mm TH steel / stainless steel 115 mm, W-MAX RAZOR

Art. no. 5986 211 155
P. Qty.: 100



FIRE CUT cutting disc 1mm TH steel / stainless steel, 115 mm

Art. no. 0669 115 302
P. Qty.: 50



Premium cut cutting disc 1mm TH steel / stainless steel, 115 mm

Art. no. 0664 115 322
P. Qty.: 50



Cutting disc BLUE-ST-CE-TH3,0-BR22,23-D115MM

Art. no. 0669 701 153



Grinding disc BLUE-ST-CE-TH6,0-BR22,23-D115MM

Art. no. 0669 761 156
P. Qty.: 25



Diamond cutting disc W-MAX turbo 4.5"

Art. no. 5986 221 102
P. Qty.: 1



Diamond cutting disc W-MAX continuous 4.5"

Art. no. 5986 221 202
P. Qty.: 1



Diamond cutting disc W-MAX segmented 4.5"

Art. no. 5986 221 302
P. Qty.: 1



Flap disc steel / stainless steel, 115 mm, W-MAX

G40, G60, G80, G120

Art. no. 5986 214 10...

P. Qty.: 10

W-MAX by WÜRTH



Twist drill bit HSS DIN 338 TYPE RN

Art. no. 0617 00...



Twist drill bit HSS DIN 338 type RN 130°

Art. no. 0624 00...

ZEBRA QUALITY



Twist drill bit HSS DIN 338 TYPE RN

Art. no. 0617 200...



Twist Drill bit HSCO DIN 338 TYPE RN

Art. no. 0617 400...



Longlife & Speed HSSCo8 bimetal cylinder saw

14mm up to 200MM

Art. no. 0632 900...

P. Qty.: 1

ZEBRA QUALITY



Adapter A4 With centre drill bit

Art. no. 0632 04 1

P. Qty.: 1



Adapter A2 With centre drill bit

Art. no. 0632 02

P. Qty.: 1



ECO cutter knife with clamping wheel

Art. no. 0715 66 045



Blade knife 18MM

Art.No. 071566 05

P. Qty.: 10



Protective glove Red, latex grip

Art. no. 0899 408 2...
P. Qty.: 12



Protective Glove, Knitted glove

Art. no. 0899 404 600
P. Qty.: 12



Protective Glove, Knitted glove with single side dots grey/black

Art. no. 0899 404 323
P. Qty.: 12



Knitted glove with dots on Both sides

Art. no. 0899 404 801
P. Qty.: 12



Disposable gloves nitrile LIGHT

Art. no. 0899 470 253
P. Qty.: 100



Welding glove Pro

Art. no. 0984 310 002



Split cowhide leather glove

Art. no. 0899 400 105



Cut protection gloves W-210 Level C Impact

Art. no. 0899 403 630
P. Qty.: 1



PU Glove, grey / Black

Art. no. 08994103... Grey
Art. no. 08994024... Black
P. Qty.: 12



Safety goggle EN166

Art. no. 0899 10...



Safety helmet Engineer EN397-ABS-6POINT

Available Color: White, Blue, Red, Yellow & Green

Art. no. 0899 200 1...



Safety helmet Labor

Available Color: White, Blue, Red, Yellow & Green

Art. no. 0899 213 00...





Safety shoe S1 low/high W-MAX

Art. no. 5986 610 00.. Low
Art. no. 5986 610 10.. High

W-MAX by WÜRTH





Construct low suede S1P safety shoe low / high

Art. no. M416 248 0.. Low
Art. no. M420 000 0.. High





Ankle-cut safety shoes S1P economy low / high

Art. no. 5357 020 0... Low
Art. no. 5357 050 0... High



Shoes construct S1PS low

Art. no. M416 250 0...



Construct mid nubuck S3 safety boot

Art. no. M422 273 0..



Shoes construct low business S3S

Art. no. M418 237 0..



Silicone acetate Sanitary purpose 280ml

Art. no. 0892 318*
P. Qty.: 1 / 24



All weather silicone sealant for glazing 300ml/600ml

Art. no. 0892 538*
P. Qty.: 1 / 20



Acrylic sealant 310ml

Art. no. 0892 122 310
P. Qty.: 1 / 24



Joint foam, B1 PU 750ml

Art. no. 0893 303 402
P. Qty.: 1 / 12





Weather sealant fire rated black 600ml

Art. no. 0893 301 016
P. Qty.: 1 / 20





Fire and acoustic protection acrylic 310ml/ 600ml

Art. no. 0893 303 00...





Fire protection sealant FP Graphite 310ml

Art. no. 0893 301 019



PU construction sealant 600ml (white or grey)

Art. no. 0890 025 61...
P. Qty.: 1 / 20



B3 PU foam with good bond strength 750ml

Art. no. 0892 149 751
P. Qty.: 1 / 12



Structural adhesive MS mirror adhesive 290ml

Art. no. 0890 226 101
P. Qty.: 1



Structural adhesive MS Pool 290ml

Art. no. 0893 226 200
P. Qty.: 1 / 12



Multi high-strength adhesive 310ml

Art. no. 0893 100 112
P. Qty.: 1



Super Fast Glue and Activator set 2 pcs

Art. no. 0893 100 400
P. Qty.: 1



Caulking gun up to 600 ml 14:1

Art. no. 0891 400 610
P. Qty.: 1



Cartridge gun 300ml

Art. no. 0891 318
P. Qty.: 1 / 12



Silicone remover 1ltr

Art. no. 0893 222
P. Qty.: 1 / 12



2-component PUR adhesive 900g

Art. no. 0892 135
P. Qty.: 1



2C plastic adhesive Replast® ME 210 sec. 50ml

Art. no. 0893 500 052
P. Qty.: 1 / 6



High-temperature silicone 310ml

Art. no. 0892 330
P. Qty.: 1 / 12



Zinc spray 400ml

Art. no. 0893 114 112
P. Qty.: 1 / 12



Corrosion protection coating Zinc 300, 1kg

Art. no. 0892 200 1
P. Qty.: 6



Rust converter 1ltr

Art. no. 0893 110
P. Qty.: 1 / 12



Klebfix superglue

Art. no. 0893 09
P. Qty.: 1 / 150



Anaerobic adhesive ALL-IN-ONE 50g

Art. no. 0893 555 050
P. Qty.: 1 / 100



Long-life grease III 400g

Art. no. 0890 402
P. Qty.: 1 / 24



Juniorfix pneumatic application gun

Art. no. 0703 891 310
P. Qty.: 1



Engine sealing compound flange sealant, Neutral silicone 85g

Grey / Black
Art. no. 0890 314 08...
P. Qty.: 1 / 12



Filler VAKU 30 2000g

Art. no. 0892 603 02
P. Qty.: 1 / 4



Brake cleaner 500ml/20ltr

Art. no. 0890 108 ...



Universal rust remover 400ml

Art. no. 0890 240 000
P. Qty.: 1 / 24



Lubricating oil Multi WS6 400ml

Art. no. 0893 086 400
P. Qty.: 1



Multi-purpose lubricant Ultra 2040, 500ml

Art. no. 0890 085 500
P. Qty.: 1 / 24



Contact spray 500ml

Art. no. 5862 100 500
P. Qty.: 1 / 24



Silicone spray 500ml

Art. no. 0893 221 105
P. Qty.: 1 / 24



Liquid grease 500ml

Art. no. 0893 870 515
P. Qty.: 1 / 24



Carburettor and throttle valve cleaner, 500ml

Art. no. 0893 100 005
P. Qty.: 1 / 24



Spray adhesive 500ml

Art. no. 0890 100 055
P. Qty.: 1



Stainless steel care spray 400ml

Art. no. 0893 121
P. Qty.: 1 / 12



CUT+COOL drilling and cutting oil 400ml

Art. no. 0893 050 004
P. Qty.: 1 / 12



Industrial hand cleaner classic 4ltr

Art. no. 0893 900 20
P. Qty.: 3



Hand washing paste free of abrasive agents 4kg

Art. no. 0893 955 211
P. Qty.: 1



BMF workshop cleaner 5ltr/20ltr

Art. no. 0893 118 ...



Rapid windscreen cleaner in display carton 32ml

Art. no. 0892 333
P. Qty.: 25



ECOLINE cleaning paper

Art. no. 0899 800 773
P. Qty.: 2



Liquid Metal Fe 1 500g

Art. no. 0893 449
P. Qty.: 8



Antibacterial air conditioner cleaner Quick Fresh Active Plus 100ml

Art. no. 0893 764 654
P. Qty.: 1 / 12



Gravel throw and underbody protection 1ltr

Art. no. 0892 075 2...



Tyre mounting paste 5kg

Art. no. 0890 122 1
P. Qty.: 1



PTFE thread-sealing tape

Art. no. 0985 030 012
P. Qty.: 10



Polyester fabric adhesive tape

Art. no. 0771 100 119
P. Qty.: 1



Insulating tape electrical PVC for multi-purpose

Art. no. 0985 181...
P. Qty.: 1 / 10 / 200



Special oil For pneumatic tools 1ltr

Art. no. 0893 050 5
P. Qty.: 1



PAG oil 46 250ml

Art. no. 0892 764 025
P. Qty.: 1





Tool trolley Basic 8.4 equipped 286 pcs

Art. no. 0962 100 286



Workshop trolley Cargo equipped 315 pcs

Art. no. 0962 100 315
P. Qty.: 1



Equipped workshop trolley 246 pcs

Art. no. 0962 100 246
P. Qty.: 1

Pneumatic ratchet wrench 1/4“, 3/8“, 1/2“

Art.No. 0703 886 140
Art.No. 0703 886 380
Art.No. 0703 886 120



Pneumatic die grinder 1/4“

Art.No. 0703 227 014



Pneumatic impact wrench

Art. no. 5714 377...
P. Qty.: 1





Multi-socket wrench 1/4 inch Assortment of 33 pieces

Art. no. 0965 11 032
P. Qty.: 1



1/2 inch torque wrench with push-through ratchet

Art. no. 0714 720 200
P. Qty.: 1



3/4 inch torque wrench with push-through ratchet

Art. no. 0714 71 25
P. Qty.: 1





Welding inverter WIS 160 Super+ Würth

Art. no. 5952 000 163
P. Qty.: 1



Electrode welding inverter W185-HF

Art. no. 5952 200 185
P. Qty.: 1



Welding electrode rutile-6013 W-MAX

Available size: 2.5mm, 3.2mm & 4mm
Art. no. 5986 251 0...

W-MAX by WÜRTH



Welding electrode basic-7018

Available size: 2.5mm, 3.2mm & 4mm
Art. no. 0982 260 0...



Welding electrode rutile-6013

Available size: 2.5mm, 3.2mm & 4mm
Art. no. 0982 009 0...



Alkaline battery high power

Art. no. 0827 0014 AA
Art. no. 0827 0012 AAA



ERGOPOWER SATURN

Art. no. 0827 950 200
P. Qty.: 1



Rechargeable LED Hand Lamp Ergopower Boost

Art. no. 0827 940 455



Rechargeable led hand-held lamp ergopower mercury

Art. no. 0827 950 400



W-MAX

by WÜRTH

MOBILITY TRADE

Maintain. Repair. Protect.

PRODUCT CATEGORIES

- LUBRICANTS
- BRAKE CLEANERS
- WIPER BLADES
- LIGHTING
- BATTERY ACCESSORIES
- WORKSHOP CONSUMABLES
- VEHICLE CARE

GERMAN TECHNOLOGY

BUILT FOR PROFESSIONALS

TRUSTED WORLDWIDE



Extreme A/C leakage sealant 30ml

Art. no. 0892 764 730



Cool shot liquid 30ml

Art. no. 0892 764 030



Auto sanitisation kit 200ml

Art. no. 0892 764 999



Antibacterial air conditioner cleaner Quick Fresh Active Plus 100ml

Art. no. 0893 764 654



Premium UV leak detection additive 240ml

Art. no. 0892 764 034



Leak detector Plus 400ml

Art. no. 0890 27



CO_2 test liquid for use with CO_2 leakage tester 500ml

Art. no. 0893 202



Radiator Cleaner 250ml

Art. no. 5861 510 250



PAG oil 46 250ml

Art. no. 0892 764 025



Multigrade compressor oil Pro 1000ml

Art. no. 0892 764 123



POE oil POE 100 – 210ml

Art. no. 0892 764 045



A/c Flush 600ml

Art. no. 0893 764 600




A/C Refrigerant R 134A, 13.6kg

Art. no. 0892 764 004



A/C Refrigerant R1234yf, 4.6kg

Art. no. 08921 234 46



Click-lock sealing R1234YF

Art. no. 0708 000 372



Click-lock sealing PROTCAP

Art. no. 0764 000 450





Bond + Seal structural adhesive 310ml

Available color: Black, Grey, White & Sand

Art. no. 0890 10012*



Window adhesive Classic Plus 310ml

Art. no. 0890 023 706



Windscreen/window adhesive primer 30ml

Art. no. 0890 024 700



Gravel throw and underbody protection 1ltr

Art. no. 0892 075 2...



Engine sealing compound flange sealant, Neutral silicone 85g, grey / black

Art. no. 0890 314 08...



Brake protector paste 1400 3g

Art. no. 0893 116 010



Long-life grease III 400g

Art. no. 0890 402



Tyre mounting paste 5kg

Art. no. 0890 122 1



Rapid windscreen cleaner in display carton 32ml

Art. no. 0892 333



Klebfix superglue 20G

Art. no. 0893 09



Anaerobic adhesive ALL-IN-ONE 50g

Art. no. 0893 555 050



Liquid Metal Fe 1 500g

Art. no. 0893 449



Exhaust assembly paste 140g

Art. no. 0890 100 045



Filler VAKU 30, 2000g

Art. no. 0892 603 02





Orbital sander Basic 150 mm

Art. no. 0703 180 121



Orbital sander Professional 150 mm

Art. no. 0703 180 122





Interior cleaner 500ml

Art. no. 0893 033



Car interior cleaner 5ltr

Art. no. 0893 033 115



Engine wash 5ltr

Art. no. 0893 013 05



Car shampoo pH-neutral 5ltr/20ltr

Art. no. 0893 012 08...



Tyre polisher 5ltr/20ltr

Art. no. 0890 121...



Tyre foam 500ml

Art. no. 0890 121



Battery terminal protector 150ml

Art. no. 0890 104



Rim cleaner highly concentrated 5ltr/20ltr

Art. no. 0893...



BMF workshop cleaner 5ltr/20ltr

Art. no. 0893 118 ...



Polish high cut P1 1kg

Art. no. 0893 100 201



Anti-hologram polish P2 1kg

Art. no. 0893 100 202



High-gloss polish P3 1kg

Art. no. 0893 100 203



Polishing pads

Art. no. 0585 025 1...



Industrial hand cleaner classic 4ltr

Art. no. 0893 900 20



Hand washing paste free of abrasive agents 4kg

Art. no. 0893 955 211



Adhesive film for steering wheel protection

Art. no. 0899 500 027



Gear stick protective cover

Art. no. 0899 500 019



Seat protector

Art. no. 0899 500 112



Microfibre cloth universal 40x40cm

Art. no. 0899 900 178




Mudguard protector, synthetic leather, magnetic

Art. no. 0899 600




Polyester fabric adhesive tape 19mm x 25m

Art. no. 0771 100 119



Key fobs Key box

Art. no. 0824 102 00



Sound-absorbing plate

ALU-GREY-550X250X2-6PCS

Art. no. 0890 100 060



Insulating tape electrical PVC for multi-purpose

Art. no. 0985 181...



Pressure sprayer Solvent-resistant 1 ltr

Art. no. 0891 503 001



ECOLINE cleaning paper

Art. no.0899 800 773



SK 80 self-adhesive protective film

Art. no. 0818 800 050



360° Pump spray bottle 1ltr

Art. no. 0891 503 360



Coolant G11, G12 & G13 – 5ltr

(Pink & Green)

Art. no. 5862 01...



Engine oil petrol, 4ltr

Art. no. 0897 540 004 – 5W-40
Art. no. 0897 104 040 – 10W-40
Art. no. 0897 530 404 – 5W-30
Art. no. 0897 020 404 – 0W-20



Engine oil diesel, 4ltr

Art. no. 0897 054 007 – 5W-40
Art. no. 0897 104 007 – 10W-40



Automatic transmission oil atf 4ltr

Art. no. 0897 000 040



Brake Fluid DOT4-Entry 500ml

Art. no. 0892 007 145

Petrol treatment 300ml

Art. no. 5861101300



Petrol injection cleaner 300ml

Art. no. 5861111303





Number plate holder short

Art. no. 0824 000 300 – Without rubber
Art. no. 0824 000 600 – With rubber

Strip for number plate holder short glossy / Matt

Art. no. 0826 500 5...





Number plate holder long

Art. no. 0825 000 300 – Without rubber
Art. no. 0765 000 100 – With rubber

Strip for number plate holder long glossy / Matt



Art. no. 0826 500 5...



KLAPP-FIX PLUS number plate holder unprinted

Art. no. 0825 06
P. Qty.: 1 / 50



Jump starter, 12/24 V

Art. no. 0772 955 616



Battery booster 3000AMPS

Art. no. 0772 591 3001



Air-conditioning service unit FROST 1200i Pro

Art. no. 0900 500 010



Air-conditioning service unit COOLIUS 2700 / 1200

Art. no. 0900 765 995 – 2700
Art. no. 0900 764 990 – 1200



Equipped workshop trolley 246 pcs

Art. no. 0962 100 246



Tool trolley Basic 8.4 equipped 286 pcs

Art. no. 0962 100 286



Workshop trolley Cargo equipped 315 pcs

Art. no. 0962 100 315



7 Drawer Roller Cabinet With 118pcs Tools

Art. no. 0962 100 118



Pneumatic hose reel

Art. no. 0699 080 120 – 1/2 inch
Art. no. 0699 080 140 – 1/4 inch
Art. no. 0699 080 380 – 3/8 inch



Alkaline battery high power

Art. no. 0827 0014 AA
Art. no. 0827 0012 AAA



WÜRTH
QUALITY WORKS.

AUTOMOTIVE BULBS COMPLETE RANGE

12V & 24V SOLUTIONS

FOR CARS, TRUCKS & COMMERCIAL VEHICLES

PASSENGER CARS | TRUCKS | BUSES | HEAVY EQUIPMENT

WHY CHOOSE WÜRTH BULBS?

- OE QUALITY STANDARDS
- BRIGHT PERFORMANCE
- LONG SERVICE LIFE
- RELIABLE & DURABLE
- WIDE AVAILABILITY

/ AUTOMOTIVE BULBS RANGE /

HEADLIGHT BULBS

High Beam, Low Beam & Fog



H1 | H3 | H4 | H7 | H8 | H9



H11 | H16 | HB1 (9004) | HB3 (9005) | HB4 (9006)

SIGNAL BULBS

Indicator, Brake, Tail & More



P21W | PY21W | H21W | W21W | W21/5W

INTERIOR & AUXILIARY BULBS

Interior, Position, Dashboard & More



W5W | W16W | W1.2W | T4W | R5W | R10W

AUTOMOTIVE BULB SELECTION GUIDE

WÜRTH
QUALITY WORKS.

BULB APPLICATION GUIDE

Choose the right bulb for maximum visibility and safety.



HEADLIGHT BULBS

H1	H3	H4	H7	H8	H9
High Beam / Fog Light	Fog Light / Auxiliary	High / Low Beam	Low Beam / High Beam	Fog Light	High Beam

H11	H16	HB1 (9004)	HB3 (9005)	HB4 (9006)
Low Beam / Fog Light	Fog Light	High / Low Beam	High Beam	Low Beam / Fog Light

SIGNAL BULBS

P21W	PY21W	H21W	W21W	W21/5W
Brake / Reverse	Indicator / Turn Signal	DRL / Indicator	Indicator / Reverse	Tail / Brake / Stop Light

INTERIOR BULBS

W5W	W16W	W1.2W	T4W	R5W	R10W
Interior / Position / License Plate	Reverse Light	Instrument Cluster / Dashboard	Parking Light / Dashboard	Position Light / Interior	Interior / Position Light

BULB GUIDELINE & TECHNICAL OVERVIEW

12V RANGE – PASSENGER VEHICLES

Bulb Type	Application	Socket	Power	Technology	Category
H1	High Beam / Fog Light	P14.5s	55 W	Halogen	Headlight
H3	Fog Light / Auxiliary	PK22s	55 W	Halogen	Headlight
H4	High / Low Beam	P43t	60/55 W	Halogen	Headlight
H7	Low / High Beam	PX26d	55 W	Halogen	Headlight
H8	Fog Light	PGJ19-1	35 W	Halogen	Headlight
H9	High Beam	PGJ19-5	65 W	Halogen	Headlight
H11	Low Beam / Fog Light	PGJ19-2	55 W	Halogen	Headlight
H16	Fog Light	PGJ19-3	19 W	Halogen	Headlight
HB1 (9004)	High / Low Beam	P29t	65/45 W	Halogen	Headlight
HB3 (9005)	High Beam	PGJ13	60 W	Halogen	Headlight
HB4 (9006)	Low Beam / Fog Light	P22d	55 W	Halogen	Headlight
P21W	Brake / Reverse / Indicator	BA15s	21 W	Incandescent	Signal
PY21W	Indicator / Turn Signal	BAU15s	21 W	Incandescent	Signal
H21W	DRL / Indicator	BA9s	21 W	Halogen	Signal
W5W	Interior / Position / License Plate	W2,1x9,5d	5 W	Incandescent	Interior
W16W	Reverse Light	W2,1x9,5d	16 W	Incandescent	Signal
T4W	Parking Light / Dashboard	BA9s	4 W	Incandescent	Interior
R5W	Position Light / Interior	BA15s	5 W	Incandescent	Interior
R10W	Interior / Position Light	BA15s	10 W	Incandescent	Interior

24V RANGE – COMMERCIAL & HEAVY VEHICLES

Bulb Type	Application	Socket	Power	Technology	Category
H1	High Beam / Fog Light	P14.5s	70 W	Halogen	Headlight
H3	Fog Light / Auxiliary	PK22s	70 W	Halogen	Headlight
H4	High / Low Beam	P43t	75/70 W	Halogen	Headlight
H7	Low / High Beam	PX26d	70 W	Halogen	Headlight
H11	Low Beam / Fog Light	PGJ19-2	70 W	Halogen	Headlight
H21W	DRL / Indicator	BA9s	21 W	Halogen	Signal
P21W	Brake / Reverse / Indicator	BA15s	21 W	Incandescent	Signal
R5W	Position Light / Interior	BA15s	5 W	Incandescent	Interior
R10W	Interior / Position Light	BA15s	10 W	Incandescent	Interior
T4W	Parking Light / Dashboard	BA9s	4 W	Incandescent	Interior
W5W	Interior / Position / License Plate	W2,1x9,5d	5 W	Incandescent	Interior

12V RANGE – PASSENGER VEHICLES

Art. No.	Bulb	Volt	Socket	Power	Application
0720140012	R5W	12V	BA15s	5W	Interior / position
0720134212	P21/5W	12V	BAY15d	21/5W	Tail / brake
0720134112	P21/5W	12V	BAZ15d	21/5W	Tail / brake
0720134012	P21/5W	12V	BAY15d	21/5W	Tail / brake
0720111012	H1	12V	P14.5s	55W	High beam / fog
0720118412	H11	12V	PGJ19-2	55W	Low beam / fog
0720118121	H16	12V	PGJ19-3	19W	Fog light
0720132312	H21W	12V	BAY9s	21W	DRL / indicator
0720112012	H3	12V	PK22s	55W	Fog / auxiliary
0720110712	H4	12V	P43t	60/55W	High / low beam
0720114012	H7	12V	PX26d	55W	Low / high beam
0720118212	H8	12V	PGJ19-1	35W	Fog light
0720118612	H9	12V	PGJ19-5	65W	High beam
0720711012	HB1 9004	12V	P29t	65/45W	High / low beam
0720113012	HB3 9005	12V	PGJ13	60W	High beam
0720116012	HB4 9006	12V	P22d	55W	Low beam / fog
0720132212	P21W	12V	BA15s	21W	Indicator / brake
0720132012	PY21W	12V	BAU15s	21W	Turn signal
0720141012	R10W	12V	BA15s	10W	Position / interior
0720150012	T4W	12V	BA9s	4W	Parking / dashboard
0720160012	W1.2W	12V	W2x4.6d	1.2W	Instrument cluster
0720162012	W16W	12V	W2.1x9.5d	16W	Reverse light
0720163512	W21/5W	12V	W3x16q	21/5W	Tail / brake
0720163012	W21W	12V	W3x16d	21W	Indicator / reverse
0720162512	W5W	12V	W2.1x9.5d	5W	Interior / license

24V RANGE – COMMERCIAL & HEAVY VEHICLES

Art. No.	Bulb	Volt	Socket	Power	Application
0720134224	P21/5W	24V	BAY15d	21/5W	Tail / brake
0720134024	P21/5W	24V	BA15d	21/5W	Tail / brake
0720140024	R5W	24V	BA15s	5W	Position / interior
0720111024	H1	24V	P14.5s	70W	High beam / fog
0720118424	H11	24V	PGJ19-2	70W	Low beam / fog
0720132324	H21W	24V	BAY9s	21W	DRL / indicator
0720112024	H3	24V	PK22s	70W	Fog / auxiliary
0720110724	H4	24V	P43t	75/70W	High / low beam
0720114024	H7	24V	PX26d	70W	Low / high beam

WÜRTH

CABLE TIE

STRONG HOLD. RELIABLE BINDING.



MATERIAL:

Nylon 6.6, 94V-2 certified by UL.
Heat-resisting, Acid & erosion control, insulate well and not apt to age.
Operating temperature: -35°C to 85°C.

- **STRONG HOLD**
- **HEAT RESISTANT**
- **ACID & EROSION CONTROL**
- **94V-2 CERTIFIED BY UL**
- **EXCELLENT INSULATION**
- **DURABLE & LONG LASTING**

Art. No.	DESCRIPTION	PACK QUANTITY
5630125100	Cable Tie Black 2.5mm × 100mm	100
5630125150	Cable Tie Black 2.5mm × 150mm	100
5630136140	Cable Tie Black 3.6mm × 140mm	100
5630136200	Cable Tie Black 3.6mm × 200mm	100
5630136280	Cable Tie Black 3.6mm × 280mm	100
5630145200	Cable Tie Black 4.5mm × 200mm	100
5630145280	Cable Tie Black 4.5mm × 280mm	100
5630148380	Cable Tie Black 4.8mm × 380mm	100
5630176370	Cable Tie Black 7.6mm × 370mm	50
5630176550	Cable Tie Black 7.6mm × 550mm	50

WIDE APPLICATION



AUTOMOTIVE
Cable bundling in engine & vehicle applications



ELECTRICAL
Secure binding of wires and electrical cables



INDUSTRIAL
Ideal for industrial, commercial & general use

HIGH QUALITY NYLON 6.6 | WIDE OPERATING RANGE | UV RESISTANT | EASY TO USE

WÜRTH

WHEEL BALANCING WEIGHTS

STICKER WEIGHTS 60g

PRECISE BALANCE. SMOOTHER DRIVE.

PRECISE BALANCING
Better stability & safety

STRONG ADHESION
Secure sticker fit

PREMIUM QUALITY
Corrosion resistant

EASY TO USE
Quick & convenient



60g (4X10g/4X5g)

Art. No.	PACK SIZE	SIZE
0830100560	100 pcs	60g (4X10g/4X5g)

WIDE APPLICATION



Suitable for passenger cars, SUVs and light commercial vehicles.

- PASSENGER CARS
- SUVs
- LIGHT COMMERCIAL VEHICLES
- STEEL RIMS

WÜRTH

WHEEL BALANCING WEIGHTS STEEL RIM

PRECISE BALANCE. SMOOTHER DRIVE.

PRECISE BALANCING
Better stability & safety

PREMIUM STEEL
Corrosion resistant coating

WIDE RANGE
From 5g to 60g

EASY TO INSTALL
Secure clip-on fit



5g



10g



15g



20g



25g



30g



35g



40g



45g



50g



55g



60g

Art. No.	PACK SIZE	SIZE
06339000005	100 pcs	5g
06339000010	100 pcs	10g
06339000015	100 pcs	15g
06339000020	100 pcs	20g
06339000025	100 pcs	25g
06339000030	100 pcs	30g
06339000035	100 pcs	35g
06339000040	50 pcs	40g
06339000045	25 pcs	45g
06339000050	25 pcs	50g
06339000055	25 pcs	55g
06339000060	25 pcs	60g

WIDE APPLICATION



Ideal for passenger cars, SUVs and light commercial vehicles.

PASSENGER CARS

SUVs

LIGHT COMMERCIAL

STEEL RIMS

WÜRTH

BUY 500.00 AED OF HOSE CLAMPS AND GET 1 DISPLAY STAND FREE!



1 DISPLAY STAND FREE!

- STRONG HOLD
- CORROSION RESISTANT
- STAINLESS STEEL
- ZINC PLATED
- DURABLE & RELIABLE
- WIDE APPLICATION

HOSE CLAMP STAINLESS STEEL



STRAP WIDTH 9 mm

STRAP WIDTH IN mm	CLAMPING RANGE IN mm	ART. NO.	P. QTY.
9	8 - 12	0538060812	50
	10 - 16	05380101616	
	12 - 22	0538011222	
	16 - 27	0538011627	
	22 - 32	0538022232	
	25 - 40	0538022540	
	32 - 50	0538033250	
	40 - 60	0538044060	
	50 - 70	0538050070	
	60 - 110	0538090110	25



STRAP WIDTH 12 mm

STRAP WIDTH IN mm	CLAMPING RANGE IN mm	ART. NO.	P. QTY.
12	16 - 27	0546116027	50
	20 - 32	0546122032	
	32 - 45	0546133045	
	32 - 50	0546133050	
	40 - 60	0546140060	
	50 - 70	0546150070	
	70 - 90	0546170090	25
	110 - 150	0546110150	

HOSE CLAMP STEEL ZINC PLATED



STRAP WIDTH 9 mm

STRAP WIDTH IN mm	CLAMPING RANGE IN mm	ART. NO.	P. QTY.
9	8 - 12	0539060812	50
	10 - 16	05390101616	
	12 - 22	0539011222	
	16 - 27	0539011627	
	22 - 32	0539022232	
	25 - 40	0539022540	
	32 - 50	0539033250	
	40 - 60	0539044060	
	50 - 70	0539050070	
	60 - 110	0539090110	25



STRAP WIDTH 12 mm

STRAP WIDTH IN mm	CLAMPING RANGE IN mm	ART. NO.	P. QTY.
12	16 - 27	0545016027	50
	20 - 32	0545022032	
	32 - 45	0545033045	
	32 - 50	0545033050	
	40 - 60	0545040060	
	50 - 70	0545050070	
	70 - 90	0545070090	
	90 - 100	0545080100	25
	100 - 120	0545100110	
	110 - 150	0545110150	



WIDE APPLICATION

Ideal for automotive, industrial, plumbing, agriculture, HVAC and general maintenance.

AUTOMOTIVE | INDUSTRIAL | PLUMBING | AGRICULTURE | HVAC

CLEAR VISION.
SAFE DRIVING.

WÜRTH WIPER BLADES





10 UNIVERSAL ADAPTERS
Fits 99% of vehicles



PREMIUM RUBBER
with advanced coating
for smooth & quiet wipes



12 DIFFERENT SIZES
from 14" to 28"
Perfect fit for your vehicle

BUY 1000 AED OF WIPER BLADES
AND ENJOY 1 STAND FOR

FREE!

AVAILABLE SIZES

ART. NO.	DESCRIPTION
0848111700	WSCRNWPR-CAR-FLBLDE-MULTI-700MM
0848111450	WSCRNWPR-CAR-FLBLDE-MULTI-450MM
0848111500	WSCRNWPR-CAR-FLBLDE-MULTI-500MM
0848111350	WSCRNWPR-CAR-FLBLDE-MULTI-350MM
0848111650	WSCRNWPR-CAR-FLBLDE-MULTI-650MM
0848111400	WSCRNWPR-CAR-FLBLDE-MULTI-400MM
0848111380	WSCRNWPR-CAR-FLBLDE-MULTI-380MM
0848111600	WSCRNWPR-CAR-FLBLDE-MULTI-600MM
0848111550	WSCRNWPR-CAR-FLBLDE-MULTI-550MM



windscreen wipers display stand - 80pcs
Art. No. 0848800606



WÜRTH

CUSTOMER HAPPINESS CENTER
800 WURTH (98784)

TRADE

Würth Gulf FZE
P.O.Box: 17036 Jebel Ali South 6,
Dubai, United Arab Emirates.
T. 800 WURTH (98784)
customerhappinesscenter@wurth.ae
eshop.wurth.ae