WÜRTH

GARAGE EQUIPMENT CATALOGUE



TABLE OF CONTENTS

Garage Equipment	3 – 19
Stead System	20 – 28
Tool Trolleys	29 – 30
Cleaning & Protection Products	31 – 37
Led Lights & Batteries	38 – 41

Two post lift 4Ton

Automatic electrical locking system

- 1 Year Warranty
on issues of material and production

Load capacity	4 ton
Lift height	1800 mm

Art. no. 0715 700 600
P. Qty./unit 1

Application

Auto workshops

Proof of performance

CE



Midraise scissor lift 2.5ton

Perfect solution for quick tyre service, portable with wheels

- 1 Year Warranty
on issues of material and production

Load capacity	2500 kg
Drive for lifting platform	Electro-hydraulic
Lift height	635 mm
Number of control units	1 PCS
Over-ground	Yes
Type of vehicle	Passenger car
Nominal voltage	220 V/AC
Colour	Red

Art. no. 0715 702 025
P. Qty./unit 1

Application

Automotive workshops specially tyre service shops



Double Scissor lift

This model, has unique design, is an ideal lift specifically for the repair maintenance, tyre changing and wheel aligning maintenance of various of high-grade cars, the advantage is easy operation, smooth & reliable working process, high lifting

Completely underground, doesn't take space, double scissor: lifting the vehicle on wheel and wheel free is possible, suitable for vehicles and light trucks.

- 1 Year Warranty
on issues of material and production



Drive for lifting platform	Electro-hydraulic
Lift height	1850 mm
Number of control units	1 PCS
Over-ground	No
Type of vehicle	Passenger car
Nominal voltage	380 V/AC
Colour	Red

Load capacity	Art. no.	P. Qty. / unit
4500 kg	**0715 702 045**	1
5500 kg	**0715 702 055**	1

Application

Automotive workshops, vehicle repair and wheel alignment

Scissor lift 3.5ton

Completely underground, doesn't take space

Professional hydraulic lifting equipment for passenger vehicle maintenance and inspection. Compact, safe, reliable, and easy to operate, with a fully hydraulic system suitable for various workshop applications.

- 1 Year Warranty
on issues of material and production



Load capacity	3500 kg
Drive for lifting platform	Electro-hydraulic
Lift height	1900 mm
Number of control units	1 PCS
Over-ground	No
Type of vehicle	Passenger car
Nominal voltage	380 V/AC
Colour	Red

Art. no. 0715 702 135

P. Qty./unit 1

Application

Automotive workshops

Four-post lifting platform mechanical 4,5 t

4 post lift is used in most automotive workshops for mechanical, electical, body or alignment work.

Drive for lifting platform	Electro-hydraulic
Number of control units	1 PCS
Chuck plate	Threaded plate
Compensation equipment	Electronic
Type of vehicle	Passenger car and transporter
Colour	Red
Lift height	1750 mm
Nominal voltage	380 V
Load capacity	4500 kg
Base frame	Mounting feet
Lower rotating height	250 mm
Over-ground	Yes
Platform length	4650 mm



Art. no. 0715 702 136

Four-post lifting platform mechanical 5,5 t

4 post lift is used in most automotive workshops for mechanical, electical, body or alignment work.

Drive for lifting platform	Electro-hydraulic
Number of control units	1 PCS
Chuck plate	Threaded plate
Compensation equipment	Electronic
Type of vehicle	Passenger car and transporter
Colour	Red
Lift height	1750 mm
Nominal voltage	380 V
Load capacity	5500 kg
Base frame	Mounting feet
Lower rotating height	250 mm
Over-ground	Yes
Platform length	5190 mm



Art. no. 0715 702 137

Computerized wheel Balancer WB-200 SINGLE-PHASE POWER-230V

Computerized wheel Balancer WB-200 SINGLE-PHASE POWER-230V

- 1 Year Warranty

Max. rim width	508 mm
Min./max. rim diameter	254-610 mm
Product weight (per item)	65 kg
Wheel guard	Yes
Tyre inflator	No
Vibration control system	Yes
Clamping device	Mechanical
Nominal voltage	230 V
Type of vehicle	Passenger car
Display	LED
Brake	automatically
Wheel lift	No
Drive for balance unit	Motor
Automatically applies rim data	All



Art. no. 0715 000 200
P. Qty./unit 1

Wheel balancer WB 300

Advanced computerized video-graphic wheel balancer for cars and light commercial vehicles, featuring led/laser light illumination for accurate weight fixing.

Max. rim width	533 mm
Min./max. rim diameter	254-610 mm
Product weight (per item)	65 kg
Wheel guard	Yes
Tyre inflator	No
Clamping device	Mechanical
Nominal voltage	230 V
Type of vehicle	Passenger car
Display	LED
Brake	Yes
Wheel lift	No
Drive for balance unit	Motor
Automatically applies rim data	All



Art. no. 0715 000 300
P. Qty./unit 1

Tyre fitting machine WTM 100

A robust semi-automatic tyre changer for cars and light commercial vehicles, built for reliable professional workshop use.

Min./max. rim diameter	305-533 mm
Max. rim width	305 mm
Side-shovel bead loosener	Yes

Art. no. 0715 200 100
P. Qty./unit 1



Tyre fitting machine WTM 200

The WTM 200 features a pneumatically operated tilting column and advanced wheel clamping system, ideal for cars and light commercial vehicles.

Min./max. rim diameter	356-660 mm
Max. rim width	381 mm
Side-shovel bead loosener	Yes

Art. no. 0715 200 200
P. Qty./unit 1



Press arm HP2 for tyre fitting machine

Art. no. 0715 901 222
P. Qty./unit 1

Application

Mechanical workshops, Tyre fitting shops



Truck tyre changer 14“ - 56“

Min./max. rim diameter	14-56 in
Max. rim width	90.5 in
Side-shovel bead loosener	Yes

Art. no. 0715 901 303



Motorcycle lift 500kg

Perfect for motorcycle service shops

- 1 Year Warranty
on issues of material and production

Colour	Red
Drive for lifting platform	Electro-hydraulic
Lift height	1200 mm
Load capacity	500 kg
Lower rotating height	200 mm
Nominal voltage	220 V/AC
Number of control units	1 PCS
Over-ground	Yes
Type of vehicle	Motorbike



Art. no. 0715 702 250
P. Qty./unit 1

Application

Automotive workshops

Oil drainer 65L

Oil waste collection with wheels, height-adjustable and wide collection tray.

Bin capacity	65 l



Art. no. 0715 500 289
P. Qty./unit 1

Oil suction device 80L

Oil suction device 80L

- Wheeled oil dryer with 6 absorption heads
- The device operates under pressure
- The device is equipped with a transparent pipe to check the oils
- The device is equipped with a safety valve

Bin capacity	80 l

Art. no. 0715 930 180
P. Qty./unit 1



Mobile oil dispensing kit

Pneumatic pump with oil dispensing kit and trolley

- Pneumatic oil pump M = 3:1.
- Equipped with pressure regulator and moisture separator equipment.
- Oil evacuation hose, 1/2" length 4 m.
- Flow measuring with digital display.
- Relative capacity: 18L/min.
- Applied Viscosity of Fluid: 8-5000mPas.
- Work pressure – 5-8 bar.
- For barrels 180-220 kg

Pump-tube length	940 mm
Min. air pressure	5 bar

Art. no. 0891 586 490
P. Qty./unit 1



Workshop mechanic's creeper Ergo

Creeper made from break-proof, impact-resistant plastic with anatomically shaped surface and raised foam neck support.

- Robust

High load-bearing capacity of up to 135 kg
Resistant to oil, petrol, cold, heat and humidity

- Practical and flexible

6 large, pivot-mounted wheels
2 large storage compartments for tools and small parts



Length (L)	1010 mm
Width (B)	475 mm
Height (H)	130 mm
Material	HDPE - High density polyethylene
Colour	Black
Number of rolls	6 PCS
Product weight (per item)	5 kg

Art. no. 0715 93 000

P. Qty./unit 1

Lifting table 500KG

Heavy duty structure



Width	540 mm
Max. height	860 mm
Min. height	280 mm
Length	960 mm
Surface	Zinc plated/coated
Load capacity	500 kg
Material	Steel

Art. no. 0715 050 076

P. Qty./unit 1

Application

Idealy for garage shop, industrial and warehouse handling applications.

Assembly trolley

Heavy duty utility cart with 3 shelf open storage, heavy load capacity for garage, warehouse, workshop

Drawer design	Without drawers
Width x depth x height (external dimension)	719 x 365 x 663 mm
Load capacity	180 kg
Product weight (per item)	13 kg

Art. no. 0962 450 111
P. Qty./unit 1



Engine stands

Min./max. height	72-135 cm
Width (support)	28 cm
Load capacity	907 kg

Art. no. 0715 097 012
P. Qty./unit 1



Pallet truck Hydraulic

- Available with different wheel designs upon request
- Vulkollan
- Rubber
- TÜV/GS-approved
- Easy to handle and very user friendly
- Steering wheel and wheels (nylon simple)
- Universal use



Length	1530 mm
Width	550 mm
Height	75 mm
Min./max. lift height	75-190 mm
Load capacity	3000 kg
Product weight (per item)	75 kg

Art. no. 0962 400 055

P. Qty./unit 1

Pneumatic floor jack 60/40/20T

European style

Load capacity	60 t
Min. height (A)	177 mm
Max. height (B)	297 mm
Width	295 mm
Length	875 mm
Colour	Red
Material	Stainless steel/aluminium
Product weight (per item)	64 kg

Art. no. 0715 540 619

P. Qty./unit 1



Application

Ideal for daily workshop usfor commercial and off-road vehicles

Oil collection tray for car

Practical oil and liquid catch pan with sealable drain and carry handles made from impact-resistant and temperature-resistant HDPE plastic

- Resistant to liquids such as oils, petrol, diesel, alcohols, alkalis, etc.
- No more spillages thanks to the sealable spout and high rim

Length	580 mm
Width	450 mm
Height	167 mm
Contents	16 l
Material	HDPE - High density polyethylene
Min. temperature resistance	-25 °C
Max. temperature resistance	100 °C
Min./max. temperature resistance	-25 to 100 °C



Art. no. 0891 400 016

P. Qty./unit 1

360° Spray bottle

Solvent-resistant suction system enables 360° spraying action

- Special suction system enables 360° spraying action
- Closable, adjustable nozzle with up to 15 bar piston pressure
- Transparent, shatter-proof 0.5 litre container



Contents	500 ml
Material	Polypropylene/polyethylene
Colour	Transparent, matt

Art. no. 0891 502 360

P. Qty./unit 1

Application

Suitable for industry, trade businesses or workshops. Ideal for cleaning cars and trucks (interior cleaning, drum and disc brakes), for cleaning chassis, engine sealing, tool maintenance, corrosion protection, surface treatment, and for cleaning machines and metal.

Application



360° application



Customisable label

Pressure sprayer Solvent-resistant



For simple processing of solvent-containing products from canisters or drums

- Ergonomic, robust spray atomiser with long handle
  - Work made less tiring thanks to low operating force
  - Can also be attached to the workshop trolley
- Customisable label
  - Space for labelling the filled liquid
  - Extra fields for safety instructions

Contents	1 l

Art. no. 0891 503 001

P. Qty./unit 1

360° Pump spray bottle




Special suction system allows 360° spraying for reliable overhead, diagonal or vertical operation

- Easy to open owing to surface-feel elements
- Ergonomic, robust spray atomiser with long handle
- Customisable label

Contents	1 l

Art. no. 0891 503 360

P. Qty./unit 1



Application



360° application



Customisable label



Extra fields for safety instructions

Axle stand set 2 pcs


A sturdy axle stand with a wide triangular base for stable vehicle support. Features a quick-adjustment ratchet mechanism and a curved saddle for secure positioning at designated vehicle lifting points.



Art. no.	Ton
0691 540 703	3 Ton
0691 540 706	6 Ton
0691 540 712	12 Ton

Hydraulic bottle jacks Basic

Robust equipment for vehicle and load lifting in the garage with a reduced footprint and vertical orientation





Load capacity	Spindle length (B)	Lift height (C)	Min./max. construction height	Art. no.
2 t	34 mm	180 mm	120-300 mm	**0715 500 002**
4 t	36 mm	198 mm	129-327 mm	**0715 500 004**
6 t	40 mm	216 mm	129-345 mm	**0715 500 006**
12 t	56 mm	230 mm	155-385 mm	**0715 500 012**
20 t	68 mm	242 mm	150-392 mm	**0715 500 020**

Application

Widely used in car worker shop for lifting vehicles

Proof of Performance

Steel garage jack with dual pump 2.5 T

Proven maximum reliable of hydraulic unit with features on professional daily use in garages

Number of rolls	4 PCS
Colour	Red
Material	Steel, stainless

Art. no.	**0715 54 251**	**0715 54 350**
Load capacity	2.5 t	3.5 t
Min. height (A)	85 mm	96 mm
Max. height (B)	505 mm	527 mm
Width	344 mm	369 mm
Length	685 mm	704 mm
Height	150 mm	221 mm
Product weight (per item)	31.31 kg	37.91 kg



Application

2.5 Ton capacity with low profile is an essential jack for application on all the sedan in a garage even in mobile service stations

Garage jack cargo heavy duty

Ideal for lifting heavy trucks, buses, agriculture and constructions equipments

Load capacity	10 t
Min. height (A)	160 mm
Max. height (B)	580 mm
Width	495 mm
Length	1630 mm
Height	260 mm
Number of rolls	4 PCS
Colour	Red, Black
Material	Steel/steel
Product weight (per item)	130 kg

Art. no. 0715 54 103



Proof of Performance

Hydraulic transmission jack reinforced

Heavy-duty 1-ton hydraulic transmission jack designed for safe and efficient transmission removal and installation. Features adjustable height, a secure support saddle, retaining chains, and a stable four-wheel base for easy workshop mobility.



Min./max. height	850-1770 mm
Width (support)	1200 mm
Load capacity	1000 kg

Art. no. 0715 54 156

Hydraulic vehicle positioning jack

Effortlessly position and manoeuvre vehicles, engines and heavy components.

Features:
- High quality steel frame
- Hydraulic lifting mechanism
- 4 Wheels for easy maneuverability
- Easy foot pedal lifting
- Handles tyres up to 12" wide
- Rolls easily in any direction
- Smoothly raises vehicle in just seconds
- Compact and space-saving design



Art. no. 0715 549 125
P. Qty./unit 1



Workshop chair with drawer

Ideal, reliable, light weight stool for car care job

Min./max. height	350-350 mm
Height	350 mm
Colour	Black with red contrast
Seat diameter	450 mm
Base frame design	Four legs
Material of seating	Plastic
Seat depth	250 mm



Art. no. 0957 650 350

P. Qty./unit 1

Application









Swivel stool height-adjustable, removable tray

The ergonomic rolling workshop stool would be great for polishing, wheel cleaning, tire & rubber cleaning, and all other exterior jobs much easier.



Min./max. height	370-520 mm
Colour	Black with red contrast
Seat diameter	300 mm
Base frame design	Frame with rollers
Material of seating	PU foam
Material	Steel

Art. no. 0957 650 352
P. Qty./unit 1



Professional Workshop Storage System with Modular Cabinets and Rubberwood Worktop

Key Highlights:

Heavy-duty modular design for professional and industrial workshop use

Knock-down construction for easy transport, space efficiency, and simple installation

180° double-door opening for maximum accessibility

Three internal shelves for organized, structured storage

Full-extension ball-bearing drawer slides for smooth and effortless operation

Durable rubberwood worktop with waterproof and anti-corrosion surface

Adjustable feet (up to 12 cm) for stability, waterproofing, and adaptability on uneven floors

Summary:

This professional metal workshop storage system offers a perfect balance between durability, functionality, and efficiency. Designed for demanding industrial environments, it features a modular, knock-down structure that reduces shipping costs while allowing quick assembly. The combination of 180° door access, full-extension drawers, and a sturdy rubberwood worktop ensures both convenience and resilience in daily use. Its adjustable feet and corrosion-resistant materials make it suitable for any workspace, delivering a long-lasting, practical, and professional storage solution.

- Heavy-duty modular metal workshop storage system with full-extension drawers, 180° double doors, and a durable rubberwood worktop. Designed for professional use, it offers organized storage, easy assembly, and long-lasting performance in demanding environments.



Application

Ideal for professional garages, industrial workshops, service centers, and maintenance facilities. Suitable for tool organization, parts storage, and as a durable workbench for assembly, repair, and inspection tasks. Its modular design makes it adaptable for automotive, mechanical, and engineering environments requiring efficient workspace management and heavy-duty storage solutions.

Number of pieces in assortment/set	16 PCS
Material	Steel

Art. no. 0988 400 016

P. Qty./unit 1

Tool assortment 246 pcs

Depth	457 mm
Width	660 mm
Height	50 mm
Size foam section	8.4.1
Number of pieces in assortment/set	246 PCS

Art. no. 0955 100 100
P. Qty./unit 1



Materials corner cabinet

Maximize your workspace with our comprehensive Corner Cabinet Solution, designed to make efficient use of every corner in your setup. Crafted for durability and functionality, this solution combines style and practicality
to meet all your storage and organizational needs.

Corner Base Cabinet: Built with a sturdy 0.8mm structure and a 35kg capacity, this cabinet offers robust storage for tools and equipment.

Corner Wall Cabinet: Another 0.8mm, 35kg load capacity per shelf ., perfect for overhead storage while maintaining a clean and organized workspace.

Wall-Mounted Hook Panel: Specifically designed for corner use, this hook panel provides a flexible and accessible solution for hanging tools and accessories.

Corner Stand: A versatile corner unit that complements the entire setup with its 0.8mm design.

Corner Work Top: Made with a durable 25mm thickness,
this worktop provides a sturdy surface for tasks and projects.



Technical Data	
Art.No.	**0957000100**
Dimensions Height*Width*Depth	1900*975*800
Load capacity per shelf	35 KG
Number of Corner Wall cabinet	1
Number of Corner Base cabinet	1
Number of Wall-mounted Hook Panel	2
Number of Corner Work Top	1
Number of Corner Stand	1

Materials cabinet with hose reel



Hose Reel and cable reel Cabinet

Upper Compartment: Specifically designed for hose reels and cable reels, ensuring smooth operation and easy access.

Lower Storage Compartment: Provides space for storing tools, accessories, or supplies.

Built-in Access Ports: Convenient openings allow seamless reel operation without tangling or clutter.

Robust Construction: Made from high-quality steel for strength and durability, capable of withstanding heavy usage.

Secure and Organized: Lockable door to keep stored items secured.

Space-Saving Design: Compact footprint ensures efficient utilization of workspace.

Technical Data	
Art.No.	**0957000101**
Dimensions Height*Width*Depth	864*660*457
Material	SPCC(Steel Plate Cold Rolled Commercial)
Load capacity per drawer	35 KG
Number of Drawes	1

Materials cabinet for wall mounting



A timeless and reliable storage solution that fits seamlessly into any workspace.

Equipped with magnetic holder that ensure they stay securely in place and perfectly aligned with body

Technical Data	
Art.No.	**0957000102**
Dimensions Height*Width*Depth	406*660*305
Load capacity per shelf	35 KG
Opening mechanism	Manual

Materials cabinet f wall mount. w hydraulic hinge



Wall Cabinet with Hydraulic Function: Designed for a smoother and more comfortable experience, this cabinet ensure effortless opening and closing with advanced hydraulic technology which up to MAX.40N

Technical Data	
Art.No.	**0957000103**
Dimensions Height*Width*Depth	406*660*305
Load capacity per shelf	35 KG
Opening mechanism	Hydraulic

Materials cabinet f wall mount. w roll up

Wall Cabinet with Roll-Up Function: Featuring full extension for the roller-up opening mechanism, adding a modern touch and providing extra flexibility and convenience when accessing stored items.



Technical Data	
Art.No.	**0957000104**
Dimensions Height*Width*Depth	406*660*305
Load capacity per shelf	35 KG
Opening mechanism	Roll Up

Workshop cabinet with dustbin

Dustbin and Paper Tissue Cabinet

This dual-function cabinet is designed to streamline cleanliness and waste management in your workspace.

Combining a tissue paper dispenser and dual dustbins, it ensures your workspace remains clean, organized,

and efficient.

Tissue Paper Dispenser: Top compartment designed for easy access to large tissue rolls, ideal for cleaning and maintenance tasks.

Dual Dustbins: Two individual compartments for efficient waste segregation and disposal. Clearly marked bins for organized waste management.

Sturdy and Durable: Built with high-quality steel for reliability and long-lasting use in industrial or workshop settings.

Sleek and Professional Design: Modern black finish with red accents for a stylish yet functional addition to your workspace.

Space-Saving Solution: Compact footprint combines cleaning and waste management in a single, easy-to-access unit.



Technical Data	
Art.No.	**0957000105**
Dimensions Height*Width*Depth	864*660*457
Material	SPCC(Steel Plate Cold Rolled Commercial)

Materials high cabinet

Width x depth x height (external dimension)	65 x 16 x 195 cm

Art. no. 0957 000 106
P. Qty./unit 1



Drawer cabinet

The Würth Workbench with Drawers is a versatile and durable workstation designed to meet the demands of modern workshops, garages, and industrial settings. Combining functionality and sleek design, this workbench offers a robust workspace along with ample storage for tools and equipment.

Premium Build: The top surface is crafted from high-quality rubber wood measuring 1982x460x25mm, providing a sturdy and smooth workspace.

Durable Metal Body: Constructed with a 1.2mm thick metal frame, the workbench ensures long-lasting performance and stability.

Adjustable Feet: Equipped with adjustable feet ranging from 20-60mm, the workbench can adapt to uneven surfaces for maximum stability.

Integrated Drawer Chest: Includes a four-drawer chest (665x456x392mm) with 0.8mm thick metal construction, offering secure
and organized storage for tools and accessories.

4 metal drawers



Width x depth x height (external dimension)	Number of drawers	Art. no.	P. Qty. / unit
71.5 x 45 x 51 cm		**0957 000 108**	1
85 x 51 x 72 cm	6 PCS	**0957 000 107**	1

Materials cabinet low

The 2 Doors Base Cabinet

A sleek and durable storage solution designed to optimize your workspace. Crafted with a robust 0.8mm structure and a 35kg load capacity per shelf, this cabinet offers sufficient storage space while maintaining strength and reliability.

Whether for organizing tools, equipment, or supplies, the 2-Door Base Cabinet is an ideal choice for efficiency and style in any environment.

Heavy-Duty Steel Frame: Provides exceptional stability and strength, making it highly durable for demanding workshop environments.

Premium Powder-Coat Finish: Delivers a sleek, professional look while protecting the surface against corrosion and wear.

Secure Locking system: Ensures the safety of your tools and materials, keeping them protected

Adjustable Feet: Allows for precise leveling, maintaining stability on uneven surfaces.



Technical Data	
Art.No.	**0957000850**
Dimensions Height*Width*Depth	864*660*457
Material	SPCC(Steel Plate Cold Rolled Commercial)
Load capacity per drawer	35 KG
Number of Doors	2

Storage shelf for product display

Width	660 mm
Depth	527 mm
Height	1981 mm
Bay load	120 kg
Shelf load	35 kg


Art. no. 0957 800 100

P. Qty./unit 1



Frame

Art. no.	P. Qty. / unit
0957 900 000	1
0957 900 200	1



Frame holder

Art. no. 0957 000 300
P. Qty./unit 1



Assembly workbench open storage

Heavy Duty Workbench, Solid Hardwood Top, Commercial Grade

Material	Steel

Art. no. 0957 000 200

P. Qty./unit 1





Assembly workbench open storage

Heavy Duty Workbench, Solid Hardwood Top, Commercial Grade

Type description	six column with leveler
Width x depth	2000 x 600 mm
Colour of frame	Red
Load capacity	100 kg
Material of tabletop	Chipboard
Tabletop thickness	35 mm
Surface of the tabletop	Steel sheet covering 2 folds



Art. no. 0957 001 200

P. Qty./unit 1









Worktop for BASIC workbench/work table

Wooden panel made from beech multiplex for combination with a cross strut, workbench base and drawer cabinets of type US and USK from the BASIC range.



Type description	Width	Depth	Height	Art. no.	P. Qty. / unit
BASIC	1500 mm	750 mm	40 mm	**0957 506 103**	1
BASIC	2000 mm	750 mm	40 mm	**0957 506 104**	1
Worktop, workbench	68 cm	49 cm	4.5 cm	**0957 506 105**	1

Workbench BASIC, fixed

Universal workbench, e.g. for assembly work

- Sturdy sheet-steel construction, multiple edges
- Cross-strut between the bases for increased stability
- Load capacity of worktop 500 kg (with evenly distributed load)



Type description	BASIC WT 1
Width x depth x height (external dimension)	2000 x 750 x 840 mm
Width x depth	2000 x 750 mm
Working height	840 mm
Colour of frame	Light grey RAL 7035
Load capacity	500 kg
Material of tabletop	Beech multiplex
Tabletop thickness	40 mm
Surface of the tabletop	Transparent lacquered

Art. no. 0957 506 202
P. Qty./unit 1

Tool trolley electromobility equipped 118pcs

Number of pieces in assortment/set	118 PCS
Width x depth x height (external dimension)	533 x 391 x 58 mm
Load capacity	450 kg
Colour	Orange
Colour of drawer	Black
Pullout type	7/8 extension
Number of rolls	7 PCS



Art. no. 0962 100 118

P. Qty./unit 1

Equipped workshop trolley

Workshop trolley with tools, full depth

- Convenient, secure and easy to use
- Supplied with drawer and shelf
- Drawer and cabinet locks (same key)
- 4 rubber swivel castors, Ø 125 mm, 2 of the castors come with brakes
- Supplied with 76 hooks
- 2 handles on the sides

Length x width x height (external dimension)	667 x 455 x 805 mm
Load capacity	35 kg
Colour	Red
Material	Steel/plastic
Number of drawers	7 PCS



Art. no. 0962 100 246

P. Qty./unit 1

Tool trolley Basic 8.4 equipped 286 pcs

Number of pieces in assortment/set	286 PCS
Width x depth x height (external dimension)	480 x 818 x 730 mm
Load capacity	450 kg
Colour	Black
Colour of drawer	Black
Pullout type	7/8 extension
Number of rolls	2 PCS



Art. no. 0962 100 286

P. Qty./unit 1

Workshop trolley Cargo equipped 315 pcs

Number of pieces in assortment/set	315 PCS
Width x depth x height (external dimension)	818 x 480 x 900 mm
Load capacity	650 kg
Colour	Black
Colour of drawer	Black
Pullout type	7/8 extension,
Number of rolls	1 PCS



Art. no. 0962 100 315

P. Qty./unit 1

WORKSHOP TROLLEY EQUIPPED 224pcs

Number of pieces in assortment/set	1 PCS
Width x depth x height (external dimension)	776 x 521 x 859 mm
Drawer design	7 drawers W 565 x D 415 x H 72 mm
Load capacity	300 kg
Colour	Black red RAL 3007
Colour of drawer	Black
Pullout type	Ball-bearing
Number of rolls	4 PCS



Art. no. 0962 612 300

P. Qty./unit 1

HEAVY DUTY WORKSHOP TROLLEY

Solid workshop trolley with practical details for mobile use in the workshop

Number of drawers	7 PCS
Colour	Red, Black



Art. no. 0962 699 241

P. Qty./unit 1

Dust binder cloth

For binding even the finest dust before painting.

- Universal application
- Slightly more coarsely meshed fabric with soft, harmless waterproofing ensures reliable dust capture and binding



Backing material	Gauze from rayon thread
Type of impregnation	Non-drying alkyd resin
Colour	White, nature
Length x width	80 x 50 cm

Art. no. 0899 700 001

P. Qty./unit 1/5

Application

The dust binder cloth is ideally suited for all painting and associated cleaning tasks. Thanks to the unique waterproofing, all dust and dry dirt is picked up and reliably bonded. The support material is made from high-quality, loose gauze fabric allows the dust to penetrate the inner layers, thereby ensuring additional reliability and optimum dust retention capacity. The waterproofing is fully silicone- and wax-free, entirely harmless with respect to any painting and does not dry out.

Application



Car sponge

For cleaning cars and commercial vehicles

- Excellent cleaning
- Promotes foaming
- Actively absorbent



Material	Polyurethane foam
Length x width x height	18 x 13 x 6 cm

Art. no. 0899 700 400

P. Qty./unit 1

Application

For cleaning cars and commercial vehicles

Masking paper Light



Specially sealed reinforced paper for covering vehicle bodywork and components.

- Reduces the amount clear lacquers and water-based paint and coating systems bleed through.
- Paper can easily be adapted to edges and corners.
- Can be used in all commercially available dispensers
  Sleeve diameter: 5 cm, roll diameter: approx. 18 cm

Length	300 m
Coating weight per m^2	50 g

Width	Art. no.	P. Qty. / unit
60 cm	**0899 700 860**	1
90 cm	**0899 700 890**	1

Application

For covering and protecting bodywork and components from upcoming painting work.

Application





White industrial cloth

Multi-purpose cloths for professional cleaning



Length x width	Colour	Art. no.	P. Qty. / unit
		0899 800 243	1
40 x 40 cm	White	**0899 800 261**	1

Application

Intended for all types of general cleaning such as cleaning machines, oils, greases, glass, dust etc.
Industrial activities: aeronautics, automobile, collectives, electrical, graphics, mechanics, furniture, naval, public works, chemical and steel industry.

Coloured industrial cloth



Multi-purpose coloured cloths for professional cleaning.

Length x width	40 x 40 cm
Colour	Colourful

Art. no. 0899 800 266

P. Qty./unit 1

Application

Intended for all types of general cleaning such as cleaning machines, oils, greases, glass, dust etc.
Industrial activities: automotive, electrical, graphics, mechanical, shipbuilding, public works, chemicals, cleaning and steel companies.

Cleaning paper stand



Floor stand for cleaning paper rolls with wheels and waste bag holder

- Stable and durable
- Suitable for all common wiper and cleaning rollers

Material	Plastic/metal
Design	With wheels and rubbish bag holder
Width	56 cm
Height	88 cm
Depth	68 cm
Roll width	38 cm

Art. no. 0899 800 606

P. Qty./unit 1

Application

Workshops and factories, large kitchens/canteens. Suitable for use in any area where cleaning paper rolls are used.

Application



ECOLINE cleaning paper

The all-rounder for the most common cleaning tasks.

- Fits all common dispensers.
- Highly absorbent, tear-resistant and low lint.
- EU ECOLABEL and wine-glass-and-fork symbol.

Material	Cellulose
Design	Roles ware
Number of sheets	1000 PCS
Number of plies	2 PCS
Sheet length x sheet width	36 x 38 cm
Length of roll	360 m
Internal diameter	70 mm
Number of tear-offs	1000 PCS



Art. no. 0899 800 773

P. Qty./unit 2



Low-lint



Resistant to tearing



Application

- Suitable for cleaning surfaces in a range of areas, such as automotive, metal processing or kitchen construction.
- For dirt such as oil or grease.
- Also for cleaning surfaces and edges with coarse materials, such as chips, due to its high strength.



Highly absorbent

Proof of Performance

EU Ecolabel www.ecolabel.eu SE /004/002

Micro-fibre cloth Universal

Premium unmatched 80/20 polyester/polyamide weave



Material	Polyamide/polyester
Length x width	40 x 40 cm
Colour	Red

Art. no. 0899 900 178

P. Qty./unit 96

Microfibre cloth

High-quality microfiber cleaning cloths, ideal for cleaning, polishing, and removing dirt and grease from various surfaces without scratching.



Material	Length x width	Colour	Art. no.	P. Qty. / unit
Polyamide/polyester	40 x 40 cm	Blue	**0899 900 101**	4
Polyamide/polyester	40 x 40 cm	Navy blue	**0899 900 161**	3
Polyamide/polyester	40 x 40 cm	Yellow, Grey	**0899 900 162**	3

Cleaning cloth, others

Efficient deep cleaning and perfect preparation of painted surfaces for the best polishing results

Sheet length x sheet width	30 x 30 cm
Colour	Basalt grey, similar to RAL 7012
Sheet length	30 cm
Sheet width	30 cm
Product weight (per item)	300 g



Art. no. 0899 900 126

P. Qty./unit 1

Clay series cleaning cloth

Efficient deep cleaning and perfect preparation of painted surfaces for the best polishing results

- Easily removes stubborn residue and dirt from painted surfaces that cannot be removed by conventional cleaning, producing a mirror-like finish.
- Especially gentle cleaning owing to very low heat development and avoidance of aggressive cleaning agents.



Colour	Black, Red
Length x width	320 x 300 mm
Product weight (per item)	94.9 g

Art. no. 0585 300 320

Application

For fast and effortless removal of paint spray mist, resin, tar and insect remains, especially in the detailing of new and used vehicles. Painted surfaces, glass, chrome, etc.

Application



SK 80 self-adhesive protective film



For protecting and covering delicate surfaces.

- Application is clean, quick and easy
  - Self-adhesive
  - Surfaces are not scratched or damaged when applying the film
  - Easy to remove the film without leaving any adhesive residue
  - Can be recycled (environmentally friendly disposal)

Length	100 m
Thickness	80 µm
Width	500 mm

Art. no. 0818 800 050

P. Qty./unit 1/4

Application

Protects delicate surfaces from contamination and damage during processing, storage, transport and assembly. Suitable for the protection of smooth to slightly textured metal surfaces, PVC profiles, painted surfaces (cured) and aluminium (high-gloss, brushed, ground, anodised). SK 80 is mostly resistant to mechanical damage and moisture.

Alkaline battery

Affordable high power alkaline battery

Nominal voltage	1.5 V/DC
Type of rechargeable battery/battery	AlMn



Battery designation	Art. no.	P. Qty. / unit
Micro AAA; LR03; AM4	**0827 001 2**	4
Mignon AA; LR6	**0827 001 4**	4

Application

Torches, radios, watches, testers, various devices

LED UV torch

For use when searching for leaks highlighted by UV leak detection fluid in vehicle air-conditioning systems.



- Easier to search for leaks than with a standard blue light

Long-wave UVA radiation creates a true UV light.

- Highly robust design with excellent corrosion resistance

Housing made of high-quality 6061 T6 aluminium alloy.

- Gold-plated contacts
  - No corrosion
  - Optimum contact with minimal transfer resistance
- Delivery includes belt pouch

Min./max. wavelength	395-410 nm
Adjustable focus	No
Lighting range	50 m
IP protection class	IP 67
Battery designation	Micro AAA; LR03; AM4
Number of rechargeable batteries/batteries	3
Material of housing	Aluminium
Length x width x height	125 x 32 x 32 mm

Art. no. 0827 807 201

P. Qty./unit 1

Application

For quickly and easily locating leaks using UV leak detection fluid in engines, gearboxes, cooling systems, hydraulic lines, power steering mechanisms and air-conditioning systems.


Rechargeable led hand-held lamp ergopower mercury

Compact LED hand lamp with 2600mAh battery



Luminous flux main light	350 lm
Luminous flux side light	100 lm
Luminous period of main light	2.5 h
Luminous period of secondary light	5.5 h
Charging time	3.5 h
Impact resistance	IK07
IP protection class	IP 54
IP protection type, lamp	IP 54
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	2600 mAh





Art. no. 0827 950 400

P. Qty./unit 1



Ergopower saturn


Powerful COB LED with USB-A output





Luminous flux main light	500 lm
Luminous flux side light	180 lm
Luminous period of main light	2 h
Luminous period of secondary light	6 h
Charging time	3.5 h
Impact resistance	IK07
IP protection class	IP 54
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	2600 mAh


Art. no. 0827 950 200

P. Qty./unit 1











Battery-powered LED work lamp Ergopower Mini 10W



Small but powerful rechargeable LED work light, can stand high exposure to dust and water with IP67 protection level

- Full capacity immediately available
- SMD LED light source
- Two light modes
1,000 lm and 500 lm
- Switch mode
full light – low light - off
- Strong magnets at stand
- Delivered with EU plug 5V 1A charger and USB-C cable for Art. 0981 504 118

Design	Portable, With handle, Compact
Min. colour rendering index (CRI)	70
Min./max. luminous flux	500/1000 lm
Colour temperature	6000 K
Min./max. luminous period	3-6 h
Charging time	4.5 h
Impact resistance	IK09
IP protection class	IP 67
Nominal voltage	5 V/DC
Rechargeable battery/battery capacity	4400 mAh

Art. no. 0981 504 118
P. Qty./unit 1







Application

Ergopower Mini work lamp



Ergopower Mini work lamp



Ergopower Mini work lamp





WÜRTH

CUSTOMER HAPPINESS CENTER
800 WURTH (98784)

GARAGE EQUIPMENT CATALOGUE

Würth Gulf FZE
P.O.Box: 17036 Jebel Ali South 6,
Dubai, United Arab Emirates.
T. 800 WURTH (98784)
customerhappinesscenter@wurth.ae
eshop.wurth.ae