WÜRTH

HAND TOOLS CATALOGUE



TABLE OF CONTENTS

Allen keys	3 – 4
Combination wrench	5 – 7
Adjustable spanner	8 – 9
Ratchets	9 – 10
T-handle	10 – 11
Screwdriver	12 – 13
Pliers	14 – 15
Socket Wrench	15 – 25
Special tools for cars	26 – 28
Cutter	29 – 30
ZEBRA Handtools range	30 – 40
ZEBRA - VDE handtools	41 – 47
Assortments for Tool Trolley	48 – 58

Allen key hexagonal (hex) set 9 pieces – Extra long blade

Versatile 9-piece hex key set with extra-long blades for increased reach and access, ideal for hexagon socket applications.

Tip type	Hexagon with ball head
Material	Chrome-vanadium steel, hardened
Included in delivery	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
Number of pieces in assortment/set	9 PCS
Design	Extra long, With ball head on one side
ISO	2936



Art. no. 5752 43 100

P. Qty./unit 1

Allen key hexagonal (hex) set 9 pieces – long blade

Versatile 9-piece hex key set with long blades and ball heads for enhanced accessibility and precise handling in hexagon sockets.

Tip type	Hexagon with ball head
Material	Chrome-vanadium steel, hardened
Included in delivery	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
Number of pieces in assortment/set	9 PCS
Design	Long, With ball head on one side
ISO	2936



Art. no. 5752 41 100

P. Qty./unit 1

Allen key hexagonal (hex) set 9 pieces – Short blade

Compact 9-piece hex key set with short blades, ideal for precise and versatile hexagonal screw applications.

Tip type	Hexagon
Material	Chrome-vanadium steel, hardened
Included in delivery	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
Number of pieces in assortment/set	9 PCS
Design	Short
ISO	2936



Art. no. 5752 042 030
P. Qty./unit 1

Allen key hexagonal (hex) set 7 pieces – long blade

Versatile 7-piece hex key set with a long blade and ball head on one side for easy access and precise handling in hexagon socket applications.

Tip type	Hexagon with ball head
Material	Chrome-vanadium steel, hardened
Included in delivery	1.5, 2, 2.5, 3, 4, 5, 6 mm
Number of pieces in assortment/set	7 PCS
Design	Long, With ball head on one side
Tip type	Hexagon with ball head



Art. no. 5752 41 101
P. Qty./unit 1

Combination wrench - Flat

Durable combination wrench made of high-quality chrome vanadium steel for reliable performance and long-lasting use.

Material	Chrome-vanadium steel
Surface	Chrome plated



Art. no.	5754 101 08	5754 101 09	5754 101 10	5754 101 11	5754 101 12	5754 101 13
P. Qty./unit	1/100	1/100	1/100	1/50	1/50	1/50
Width across flats	8 mm	9 mm	10 mm	11 mm	12 mm	13 mm
Length (L)	120 mm	130 mm	155 mm	162 mm	170 mm	178 mm
Ring thickness (a1)	6.4 mm	6.7 mm	7.3 mm	8.3 mm	8.4 mm	8.4 mm
Thickness of jaw (a2)	4 mm	4 mm	4.6 mm	5 mm	5 mm	5.5 mm
Width of jaws (outside) (b)	18.5 mm	20.7 mm	22.7 mm	24.6 mm	27 mm	29.5 mm
External diameter of ring (d)	12.8 mm	14.2 mm	16 mm	17.3 mm	18.7 mm	19.5 mm

Art. no.	5754 101 14	5754 101 15	5754 101 16	5754 101 17
P. Qty./unit	1/50	1/50	1/50	1/50
Width across flats	14 mm	15 mm	16 mm	17 mm
Length (L)	192 mm	210 mm	220 mm	226 mm
Ring thickness (a1)	9.7 mm	10.2 mm	10.8 mm	10.8 mm
Thickness of jaw (a2)	5.6 mm	6 mm	6.6 mm	7 mm
Width of jaws (outside) (b)	30.4 mm	32 mm	33.7 mm	36.5 mm
External diameter of ring (d)	21.4 mm	22.5 mm	24.5 mm	25.5 mm

Combination wrench set 17 pieces

Versatile 17-piece combination wrench set, ideal for a wide range of fastening tasks.

Number of pieces in assortment/set	17 PCS

Art. no. 5754 101 917
P. Qty./unit 1



Combination wrench set 25 pieces - Flat

Comprehensive 25-piece combination wrench set for versatile and reliable use in a wide range of applications.

Number of pieces in assortment/set	25 PCS

Art. no. 5754 101 925
P. Qty./unit 1



Combination wrench set 25 pieces - Offset

Comprehensive 25-piece combination wrench set for versatile and reliable use in a wide range of applications.

Number of pieces in assortment/set	25 PCS

Art. no. 5754 111 925
P. Qty./unit 1



Combination wrench set 12 pieces

Comprehensive 12-piece combination wrench set for versatile and reliable fastening solutions.

Number of pieces in assortment/set	12 PCS

Art. no. 5754 101 912
P. Qty./unit 1



Combination wrench set 8 pieces

Versatile 8-piece combination wrench set, ideal for a range of professional and DIY applications.

Number of pieces in assortment/set	8 PCS

Art. no. 5754 101 908
P. Qty./unit 1




Double open-ended wrench set 12 pieces - Flat

Comprehensive 12-piece double open-ended wrench set, perfect for versatile and reliable use across multiple applications.

Number of pieces in assortment/set	12 PCS
Width x height x depth	390 x 78 x 80 mm

Art. no. 5754 104 912
P. Qty./unit 1



Adjustable spanner

One-step-solution: its adjustable design offers the efficiency of multiple wrench sizes in a single robust tool. Unleash versatility within price, and performance.

Jaw position	22.5 Degree



Art. no.	5754 221 106	5754 221 108	5754 221 110	5754 221 112	5754 221 115	5754 221 118
P. Qty./unit	1	1	1	1	1	1
Max. width across flats (A)	19 mm	24 mm	28 mm	32 mm	43 mm	53 mm
Length (L)	155 mm	202 mm	250 mm	300 mm	375 mm	450 mm
Length in inches (L)	6 in	8 in	10 in	12 in	15 in	18 in
Max. external dimension of wrench head (B)	55 mm	70 mm	80 mm	90 mm	120 mm	140 mm
Jaws thickness (T)	7 mm	8.5 mm	10 mm	12 mm	13.8 mm	15 mm
Thickness (S)	12 mm	15 mm	17 mm	20 mm	25 mm	27 mm

Ratchet 1/2 inch with reversible lever

Durable 1/2-inch ratchet with reversible lever, made of robust chrome vanadium steel, featuring a comfortable two-component plastic handle for secure grip and efficient handling.

Tip size	1/2 inch
Material	Chrome-vanadium steel
Material of handle	2-component plastic
Surface	Chrome plated
Length (L1)	257 mm
Length of lever (L2)	239 mm
Handle length (L3)	112 mm
Handle diameter (D1)	36 mm
Ratchet diameter (D2)	40.7 mm
Ratchet head height (B1)	20.8 mm
Ratchet head height with square (B2)	38 mm



Art. no. 5763 012 901
P. Qty./unit 1

Ratchet 1/4 inch with reversible lever

Durable and precise 1/4-inch ratchet with a reversible lever, a comfortable 2-component handle, and a polished chrome finish for long-lasting performance.

Tip size	1/4 inch
Material of handle	2-component plastic
Surface	Chrome plated
Length (L1)	153 mm
Material	Chrome-vanadium steel



Art. no. 5763 014 901
P. Qty./unit 1

Ratchet 3/8 inch with reversible lever

Durable 3/8-inch ratchet made of robust chrome-vanadium steel, with a polished chrome-plated surface and a comfortable 2-component plastic handle for efficient and precise work.

Tip size	3/8 inch
Material	Chrome-vanadium steel
Material of handle	2-component plastic
Surface	Chrome plated
Length (L1)	198 mm
Length of lever (L2)	190 mm
Handle length (L3)	90 mm
Handle diameter (D1)	27 mm
Ratchet diameter (D2)	31 mm
Ratchet head height (B1)	17.8 mm
Ratchet head height with square (B2)	32.5 mm



Art. no. 5763 038 901
P. Qty./unit 1

T-handle 2-component hex key

Ergonomic T-handle screwdriver with a sturdy 2-component plastic grip and a durable, matte chrome-plated surface for optimal torque and long-lasting performance.

Material of handle	2-component plastic
Surface	Chrome/nickel plated



Art. no.	5751 132 001	5751 132 002	5751 132 003	5751 132 004	5751 132 005	5751 132 006
P. Qty./unit	1	1	1	1	1	1
Tip size	2.5 mm	3 mm	4 mm	5 mm	6 mm	8 mm
Length (L1)	140 mm	140 mm	190 mm	190 mm	200 mm	260 mm
Length of screwdriver side tip (B2)	12 mm	12 mm	18 mm	18 mm	18 mm	24 mm
Handle width (T)	75 mm	75 mm	91 mm	91 mm	91 mm	107 mm
Blade length (L2)	89 mm	89 mm	139 mm	139 mm	139 mm	187 mm
Handle width x length x length of side tip (BxCxD)	75 x 51 x 12 mm	75 x 51 x 12 mm	91 x 61 x 18 mm	91 x 61 x 18 mm	91 x 61 x 18 mm	107 x 73 x 24 mm

Art. no.	5751 132 007
P. Qty./unit	1
Tip size	10 mm
Length (L1)	260 mm
Length of screwdriver side tip (B2)	24 mm
Handle width (T)	107 mm
Blade length (L2)	187 mm
Handle width x length x length of side tip (BxCxD)	107 x 73 x 24 mm

T-handle 2-component TX

Ergonomic T-handle screwdriver with a durable 2-component plastic grip and a matt chrome-plated surface for a secure grip and long-lasting performance.

Material of handle	2-component plastic
Surface	Chrome/nickel plated



Art. no.	5751 140 001	5751 140 002	5751 140 003	5751 140 004	5751 140 005	5751 140 006
P. Qty./unit	1	1	1	1	1	1
Tip size	TX10	TX15	TX20	TX25	TX30	TX40
Length (L1)	138 mm	138 mm	138 mm	201 mm	201 mm	201 mm
Blade length (L2)	87 mm	87 mm	87 mm	140 mm	140 mm	140 mm
Length of screwdriver side tip (B2)	12 mm	12 mm	12 mm	18 mm	18 mm	18 mm
Handle width (T)	75 mm	75 mm	75 mm	91 mm	91 mm	91 mm
Handle width x length x length of side tip (BxCxD)	75 x 51 x 12 mm	75 x 51 x 12 mm	75 x 51 x 12 mm	91 x 61 x 18 mm	91 x 61 x 18 mm	91 x 61 x 18 mm

T-handle hexagon socket assortment 7 pcs.

Versatile 7-piece T-handle screwdriver set with hexagon tips, designed for precise and efficient handling across various applications.

Number of pieces in assortment/set	7 PCS
Included in delivery	HEX2.5, 3, 4, 5, 6, 8, 10 mm

Art. no. 5751 914 062
P. Qty./unit 1



T-Handle screwdriver (TX) set 6 pieces

Versatile 6-piece T-handle screwdriver set with TX sizes for precise and efficient handling of various applications.

Number of pieces in assortment/set	6 PCS
Included in delivery	TX10 TX15 TX20 TX25 TX30 TX40

Art. no. 5751 913 063
P. Qty./unit 1



Screwdriver PH (PH)

The PH tip allows universal assembly and maintenance applications in the automotive, industrial and woodworking fields.



Tip size	Blade length (A)	Handle length (B)	Handle width (C)	Art. no.	P. Qty. / unit
PH1	80 mm	96 mm	31 mm	**5751 242 1**	1/12
PH2	100 mm	107 mm	34 mm	**5751 242 2**	1/12
PH3	150 mm	118 mm	38 mm	**5751 242 3**	1/6



Screwdriver Slotted

Precision slotted screwdriver designed for reliable and accurate fastening in slot-head screws.

Tip type	Slot



Thickness of cutting edge x width of cutting edge	Blade length (A)	Handle length (B)	Handle width (C)	Art. no.	P. Qty. / unit
0.6 x 3.5 mm	100 mm	80 mm	26 mm	**5751 241 035**	1
1 x 5.5 mm	125 mm	96 mm	31 mm	**5751 241 055**	1
1.2 x 6.5 mm	150 mm	107 mm	34 mm	**5751 241 065**	1
1.2 x 8 mm	175 mm	118 mm	38 mm	**5751 241 08**	1/6



Tool bolt olive

Screwdriver (TX) no hole

The star-like head makes it far more secure than regular screws and allows higher torque transmission, so screws can be tightened more securely. Widely used in applications in vehicles, motorcycles, bicycles, computers and consumer electronics.

Blade length (A)	100 mm




Tip size	Handle length (B)	Handle width (C)	Art. no.	P. Qty. / unit
TX10	96 mm	31 mm	**5751 444 10**	1/12
TX15	96 mm	31 mm	**5751 444 15**	1/12
TX20	96 mm	31 mm	**5751 444 20**	1/12
TX25	107 mm	34 mm	**5751 444 25**	1/12
TX27	107 mm	34 mm	**5751 444 27**	1/12
TX30	107 mm	34 mm	**5751 444 30**	1/12
TX40	118 mm	38 mm	**5751 444 40**	1/12



Screwdriver (PH)/slotted set 6 pieces

Versatile 6-piece screwdriver set, including PH and slotted sizes for a wide range of applications.

Number of pieces in assortment/set	6 PCS
Included in delivery	PH1; PH2; SL0.6 x 3.5; SL1 x 5.5; SL1.2 x 6.5; SL1.2 x 8.0
Width x height x depth	142 x 41 x 325 mm



Art. no. 5751 942 27
P. Qty./unit 1

Screwdriver (TX) set 7 pieces

Comprehensive 7-piece TX screwdriver set with a wide range of sizes for versatile applications.

Number of pieces in assortment/set	7 PCS
Included in delivery	TX10 TX15 TX20 TX25 TX27 TX30 TX40
Width x height x depth	168 x 38 x 300 mm



Art. no. 5751 934 9
P. Qty./unit 1

Side cutter

Durable side cutter designed for precise cutting of hard and medium wire, ensuring reliable performance for various applications.

Cutting edge length	22 mm
Max. hard wire diameter cutting capacity	2 mm



Length (L)	Jaws width (A)	Jaws thickness (D)	Art. no.	P. Qty. / unit
155 mm	22 mm	9.5 mm	**5772 001 106**	6
175 mm	25 mm	10 mm	**5772 001 107**	6

Combination plier

Durable combination pliers made of robust chrome vanadium steel with a comfortable 2-component handle and a high-quality chrome/ nickel-plated finish for enhanced corrosion resistance, adhering to ISO 5746 standards.

Length (L)	180 mm
Max. medium wire diameter cutting capacity	2.6 mm
Max. hard wire diameter cutting capacity	2.2 mm
Surface	Chrome/nickel plated



Art. no. 5772 001 207
P. Qty./unit 6

Plier assortment 3 pieces

Versatile 3-piece plier set with ergonomic design, offering reliable durability and comfortable handling for various tasks.

Number of pieces in assortment/set	3 PCS
Width x height x depth	190 x 213 x 31 mm
Product weight (per item)	631 g



Art. no. 5772 101 003
P. Qty./unit 1

½ Inch socket wrench insert metric, hexagon (hex), long

Durable 1/2-inch hexagon socket wrench insert with a long design and a matt chrome-plated surface for reliable grip and corrosion resistance.



Drive	1/2 inch
Drive type	Internal square
Length (L1)	78 mm
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated

Width across flats	Socket wrench external diameter (D1)	Socket wrench external diameter 2 (D2)	Socket wrench depth (t)	Art. no.	P. Qty. / unit
17 mm	23.8 mm	21.8 mm	34 mm	**5763 012 117**	1
19 mm	25.8 mm	22.8 mm	34 mm	**5763 012 119**	1
22 mm	29.8 mm	26 mm	34.5 mm	**5763 012 122**	1

½ Inch socket wrench insert metric, hexagon (hex), short

Durable 1/2-inch hex socket wrench insert with a non-slip matte chrome-plated finish for secure and precise use.



Drive	1/2 inch
Drive type	Internal square
Length (L1)	38 mm

Art. no.	5763 012 011	5763 012 010	5763 012 012	5763 012 013	5763 012 014	5763 012 015
P. Qty./unit	1	1	1	1	1	1
Suitable for width across flats		10 mm	12 mm	13 mm	14 mm	15 mm
Width across flats	11 mm	10 mm	12 mm	13 mm	14 mm	15 mm
Socket wrench external diameter (D1)	16.5 mm	15.3 mm	17.8 mm	19 mm	20.3 mm	21.8 mm
Socket wrench external diameter 2 (D2)						
Socket wrench depth (t)						
Material	Chrome-vanadium steel					
Surface	Chrome plated					

Art. no.	5763 012 016	5763 012 017
P. Qty./unit	1	1
Suitable for width across flats	16 mm	17 mm
Width across flats	16 mm	17 mm
Socket wrench external diameter (D1)	21.8 mm	23.8 mm
Socket wrench external diameter 2 (D2)	20.5 mm	21.8 mm
Socket wrench depth (t)	13.5 mm	13.5 mm
Material	Chrome-vanadium steel, hardened	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated	Chrome/nickel plated

1/4 Inch socket wrench insert metric, hexagon, long

Durable and precise long socket wrench insert with 1/4 inch drive, hexagon tip, and high-quality chrome-vanadium steel with a matt chrome-plated finish for reliable performance.



Drive	1/4 inch
Drive type	Internal square
Length (L1)	50 mm
Design	Long
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated

Width across flats	Socket wrench depth (t)	Socket wrench external diameter (D1)	Socket wrench external diameter 2 (D2)	Art. no.	P. Qty. / unit
9 mm	15 mm	12.8 mm	11.6 mm	**5763 014 109**	1
10 mm	16 mm	14.8 mm	12.5 mm	**5763 014 110**	1
12 mm	17 mm	16.8 mm	14.7 mm	**5763 014 112**	1
14 mm	17 mm	19.8 mm	17.3 mm	**5763 014 114**	1

1/4 Inch socket wrench insert metric, hexagon, short

Compact and durable 1/4 inch socket wrench insert with a hexagon socket design, made from robust chrome-vanadium steel and featuring a matte chrome-plated finish for long-lasting performance.



Drive	1/4 inch
Drive type	Internal square
Length (L1)	25 mm
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated

Width across flats	Socket wrench depth (t)	Socket wrench external diameter (D1)	Socket wrench external diameter 2 (D2)	Art. no.	P. Qty. / unit
6 mm	9 mm	9.2 mm	11.8 mm	**5763 014 006**	1
7 mm	9.5 mm	10.8 mm	11.8 mm	**5763 014 007**	1
8 mm	10 mm	11.8 mm	11.2 mm	**5763 014 008**	1
9 mm	10 mm	12.8 mm	11.6 mm	**5763 014 009**	1
10 mm	11.5 mm	14.5 mm	12.5 mm	**5763 014 010**	1
11 mm	11 mm	15.8 mm	13.9 mm	**5763 014 011**	1
12 mm	11 mm	16.8 mm	14.7 mm	**5763 014 012**	1
13 mm	11.5 mm	17.8 mm	15.7 mm	**5763 014 013**	1
14 mm	11.5 mm	19.5 mm	17.3 mm	**5763 014 014**	1

3/8 Inch socket wrench insert, TX head for external TX screws, short

Compact and durable 3/8 inch socket wrench insert designed specifically for precise handling of external TX screws.

Drive	3/8 inch
Drive type	Internal square
Length (L1)	28 mm
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated



Tip size	Width across flats	Socket wrench external diameter (D1)	Socket wrench external diameter 2 (D2)	Art. no.	P. Qty. / unit
E10	E10	12.8 mm	16.8 mm	**5763 038 210**	1
E11	E11	13.4 mm	16.8 mm	**5763 038 211**	1
E12	E12	14.5 mm	16.8 mm	**5763 038 212**	1
E14	E14	15.6 mm	17.8 mm	**5763 038 214**	1
E16	E16	19.8 mm	16.8 mm	**5763 038 216**	1
E18	E18	21.8 mm	18.8 mm	**5763 038 218**	1

3/8 Inch socket wrench insert metric, hexagon, long

Durable 3/8 inch socket wrench insert with long design for excellent reach, made of high-strength chrome-vanadium steel with a matt chrome-plated finish for durability and corrosion resistance.

Drive	3/8 inch
Drive type	Internal square
Design	Long
Length (L1)	64 mm
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated



Width across flats	Socket wrench external diameter (D1)	Socket wrench depth (t)	Socket wrench external diameter 2 (D2)	Art. no.	P. Qty. / unit
8 mm	12 mm	16.5 mm	16.8 mm	**5763 038 108**	1
10 mm	14.5 mm	17.5 mm	16.8 mm	**5763 038 110**	1
11 mm	15.7 mm	19.5 mm	16.8 mm	**5763 038 111**	1
13 mm	18.8 mm	27.5 mm	17 mm	**5763 038 113**	1
16 mm	21.8 mm	25.5 mm	17.9 mm	**5763 038 116**	1
17 mm	23.8 mm	28.5 mm	18.8 mm	**5763 038 117**	1

3/8 Inch socket wrench insert metric, hexagon, short

Durable 3/8 inch socket wrench insert with a hexagon tip, short design, and robust chrome-vanadium steel construction with a matte chrome-plated finish for professional performance.



Drive	3/8 inch
Drive type	Internal square
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated
Socket wrench depth (t)	16.5 mm

Width across flats	Length (L1)	Socket wrench external diameter (D1)	Socket wrench external diameter 2 (D2)	Art. no.	P. Qty. / unit
10 mm	28 mm	14.5 mm	16.8 mm	**5763 038 010**	1
11 mm	28 mm	15.5 mm	16.8 mm	**5763 038 011**	1
12 mm	28 mm	17.8 mm	16.8 mm	**5763 038 012**	1
13 mm	28 mm	18.8 mm	16.7 mm	**5763 038 013**	1
14 mm	28 mm	19.8 mm	17.7 mm	**5763 038 014**	1
15 mm	28 mm	21.8 mm	17.9 mm	**5763 038 015**	1
16 mm	28 mm	21.8 mm	17.9 mm	**5763 038 016**	1
17 mm	30 mm	23.8 mm	18.8 mm	**5763 038 017**	1



1/4 Inch bit adapter

Versatile 1/4 inch bit adapter with a precise hexagonal tip for secure and efficient tool compatibility.

Drive (S2)	1/4 inch
Drive type	Internal square
Tip size (S1)	1/4 inch
Tip type	For outer hexagon
Length (L1)	25 mm
Attachment length (L2)	11 mm
Socket wrench external diameter (D1)	11.8 mm
Socket wrench external diameter 2 (D2)	11.8 mm



Art. no. 5763 014 906

P. Qty./unit 1

1/2 Inch slider piece

Durable 1/2-inch slider piece made of chrome-vanadium steel with a matt chrome-plated surface for reliable performance and a compact design.

Tip size (S1)	3/8 inch
Drive (S2)	1/2 inch
Material	Chrome-vanadium steel, hardened
Surface	Chrome/nickel plated
Socket wrench external diameter (D1)	24 mm
Length (L1)	41.5 mm



Art. no. 5763 012 904

P. Qty./unit 1

1/2 Inch cardan joint

Durable 1/2-inch cardan joint with a compact design and a high-quality chrome-plated matte finish for reliable performance in tight or awkward spaces.

Drive (S2)	1/2 inch
Socket wrench external diameter (D1)	23.8 mm
Length (L1)	75 mm
Surface	Chrome plated



Art. no. 5763 012 903
P. Qty./unit 1

1/4 Inch cardan joint

Versatile 1/4-inch cardan joint with a durable chrome-plated surface for smooth performance, even in tight spaces.

Drive (S2)	1/4 inch
Socket wrench external diameter (D1)	13.8 mm
Length (L1)	42 mm
Surface	Chrome plated



Art. no. 5763 014 903
P. Qty./unit 1

3/8 Inch cardan joint

Durable and precise 3/8-inch cardan joint with a matt chrome-plated surface for enhanced corrosion resistance and reliable use in tight spaces.

Drive (S2)	3/8 inch
Socket wrench external diameter (D1)	17.8 mm
Length (L1)	61 mm
Surface	Chrome plated



Art. no. 5763 038 903
P. Qty./unit 1

1/2 Inch extension

Durable 1/2 inch extension for reliable and precise tool connection, ensuring secure transfer of force.

Drive (S2)	1/2 inch
Drive type	Internal square
Tip size (S1)	1/2 inch
Socket wrench external diameter (D1)	22.5 mm



Tip type	Length (L)	Art. no.	P. Qty. / unit
For internal square	250 mm	**5763 012 250**	1
For outer hexagon	125 mm	**5763 012 125**	1

1/4 Inch extension

Versatile 1/4 inch extension for precise fitting with ISO 1173 bits and secure connection to compatible tools.

Drive (S2)	1/4 inch
Drive type	Internal square
Tip size (S1)	1/4 inch
Tip type	For internal square
Length (L)	150 mm
Socket wrench external diameter (D1)	12.4 mm



Art. no. 5763 014 150
P. Qty./unit 1

3/8 Inch extension

Crafted for high torque applications. Extensions are handy and to allow to access hard to reach areas with ease. Versatile: suitable for a wide range of applications, from construction and machinery to automotive and industrial settings.

Drive (S2)	3/8 inch
Drive type	Internal square
Tip size (S1)	3/8 inch
Tip type	For internal square
Length (L)	125 mm
Socket wrench external diameter (D1)	18 mm



Art. no. 5763 038 125
P. Qty./unit 1

1/2 Inch socket wrench assortment 22 pieces

Comprehensive 22-piece 1/2-inch socket wrench set, designed for versatile use and conveniently compact for easy storage.

Number of pieces in assortment/set	22 PCS
Width x height x depth	80 x 335 x 231 mm

Art. no. 5763 112 022
P. Qty./unit 1



1/4 + 1/2 Inch socket wrench assortment 72 pieces

Comprehensive 72-piece socket wrench assortment in a compact and well-organized design for versatile applications.

Number of pieces in assortment/set	72 PCS
Width x height x depth	335 x 85 x 231 mm

Art. no. 5763 100 072
P. Qty./unit 1



1/4 + 3/8 + 1/2 Inch socket wrench assortment 154 pieces

Comprehensive 154-piece socket wrench assortment in a compact, organized design for versatile applications and easy transport.

Width x height x depth	95 x 462 x 335 mm
Number of pieces in assortment/set	154 PCS

Art. no. 5763 100 154
P. Qty./unit 1



1/4 Inch socket wrench assortment 17 pieces

Compact 17-piece 1/4-inch socket wrench set, ideal for precise and versatile work in a space-saving format.

Number of pieces in assortment/set	17 PCS
Width x height x depth	249 x 60 x 114 mm

Art. no. 5763 114 017
P. Qty./unit 1



1/4 Inch socket wrench assortment 24 pieces

Comprehensive 24-piece 1/4-inch socket wrench set in a compact design, perfect for precise and versatile applications.

Number of pieces in assortment/set	24 PCS
Width x height x depth	249 x 60 x 114 mm

Art. no. 5763 114 024
P. Qty./unit 1



1/4 Inch socket wrench assortment 32 pieces

Comprehensive 32-piece 1/4 inch socket wrench set in a compact and space-saving design, perfect for versatile applications.

Number of pieces in assortment/set	32 PCS
Width x height x depth	249 x 60 x 114 mm

Art. no. 5763 114 032
P. Qty./unit 1



1/4 Inch socket wrench assortment 40 pieces

Comprehensive 40-piece 1/4 inch socket wrench set in a compact design for versatile and space-saving tool solutions.

Number of pieces in assortment/set	40 PCS
Width x height x depth	249 x 60 x 114 mm

Art. no. 5763 114 040
P. Qty./unit 1



1/2-Inch impact socket wrench assortment 12 pieces

Hexagon, metric, long

- Fits all conventional compressed air and electric drivers

Number of pieces in assortment/set	12 PCS

Art. no. 0714 900 200
P. Qty./unit 1




1/2 Inch impact socket wrench insert power set 3 pieces




Consists of impact socket wrench inserts in sizes 17/19/21 with integrated reinforcement ring for a longer service life

- Designed according to DIN 3121/ISO 1174 with hole for locking pin and groove for O-ring
- Long service life due to reinforcement ring as well as replaceable plastic sleeve to protect delicate aluminium rims
- Long geometry and colour code for quick identification of the right socket wrench

Width across flats	17 x 19 x 21 mm
Number of pieces in assortment/set	3 PCS







Art. no. 0714 134 30

P. Qty./unit 1









Even if the socket is cracked, the ability to use it is guaranteed


Application



Auto Mechanic Tool Set 134 pc

Comprehensive 134-piece tool set designed for professional auto mechanics, offering a versatile range of tools for any repair task.

Number of pieces in assortment/set	134 PCS



Art. no. 5763 200 134
P. Qty./unit 1

Digital tyre inflator

Precise digital tyre inflator for professional use. Especially suitable for work on tyre pressure monitoring systems.



- Suitable for work on tyre pressure monitoring systems
- Very high measurement accuracy with a resolution of 0.01 bar
- Air connection F G 1/4 inch
- Rubber protection around the measuring instrument
- Corrosion-resistant internal mechanism
- Filtering of the air in the display mechanism by microporous stainless steel nickel silver filter
- Device withstands an unintentional overpressure of 15.00 bar
- Easy-to-read measurement result thanks to 12-mm-high display
- Auto shut-off feature
- Automatic calibration to zero at each new inflation
- Warning in the event of failure

Min./max. pressure measuring range	0.1-11 bar
Max. operating pressure	15 bar
Min./max. temperature conditions	-25 to 60 °C
Hose length	1500 mm
Connection thread	G 1/4 inch
Product weight (per item)	690 g
Material of housing	Plastic
Pressure measuring accuracy	0.01 bar

Art. no. 0715 54 099
P. Qty./unit 1

Tyre inflator with dial

Sturdy, functional tyre pressure pump approved for tachograph control

- Impact-resistant plastic with rubber sheath
- Easy to operate with +/ ÷ buttons and precision pressure gauge



Min./max. pressure measuring range	0.5-12 bar
Max. operating pressure	16 bar
Min./max. temperature conditions	-10 to 50 °C
Hose length	530 mm
Connection thread	1/4 inch
Product weight (per item)	1 kg
Pressure measuring accuracy	0.1 bar

Art. no. 0715 541 070
P. Qty./unit 1


Proof of performance

EEC (EC)-approved.


Machine vice


Stable and robust cast iron machine vice with horizontal and vertical V-blocks

- Lateral clamping jaws with three vertical V-blocks and one horizontal V-block
- Robust, precise and smooth-running
- Slotted holes for individual installation



Width of clamping jaw (B1)	150 mm
Width (B2)	23 cm
Max. clamping width (A max)	178 mm
Min./max. length (L1)	23-46 cm
Height (H1)	27 cm
Clamping depth (H2)	107 mm





Art. no. 0714 671 06
P. Qty./unit 1

Oil filter cup, others -31 PCS

Product weight (per item)	1000 g

Art. no. 1952 999
P. Qty./unit 1



Round cutting wire

Braided for high cutting capacity despite lack of cutting edges

- Secured on plastic spool

Form	Round
Length	22.5 m
Wire diameter	0.8 mm
Material	Steel

Art. no. 0714 58 28
P. Qty./unit 1



ECO cutter knife with clamping wheel




Continuously variable blade locking via clamping wheel

- High-quality and ergonomic grip and removable end cap with recess for safe blade retraction
- Blade clamping using robust clamping screw
- Slide with metal insert nut for long-lasting thread use

Blade width	18 mm
Length	155 mm
Material of handle	ABS - Acrylonitrile butadiene styrene

Art. no. 0715 66 045

P. Qty./unit 10



Snap-off blade



Robust blade with long service life

- Ice-hardened blade
- 3-facet cut
- In convenient dispenser

Blade length	110 mm
Blade width	18 mm
Thickness of blade	0.5 mm
Material	Steel
Cutting edge length	100 mm

Art. no. 0715 66 05

P. Qty./unit 10

Allen key set 10 pieces

In plastic holder, short version

- Bright nickel-plated
- Chamfered front edges
- Contents: Sizes 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10; 12

Included in delivery	Contents mm 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12
Number of pieces in assortment/set	10 PCS



Art. no. 0715 31 110
P. Qty./unit 1/5

Proof of performance

ISO 2936 (similar to DIN 911)

Allen key set TX 8 pieces

In plastic holder, short design

- TX socket
- Round blade
- Bright nickel-plated
- Contents: TX 9, 10, 15, 20, 25, 27, 30, 40

Tip type	TX
Included in delivery	TX 9, 10, 15, 20, 25, 27, 30, 40
Number of pieces in assortment/set	8 PCS



Art. no. 0715 36 100
P. Qty./unit 1/10

Combination pliers DIN ISO 5746

For gripping, holding and cutting hard and soft wires and cables

- High-quality tool steel ensures long tool life and precision of gripping and cutting surfaces
- Extra-long blade also suitable for thicker cables
- Ergonomic and slip-free 2-component comfort handle with narrow collar profile for comfortable working and optimum force transfer
- Inductively hardened precision blades
- Burner port for gripping round materials
- Surface: Entirely ground and chrome-plated
- Joint: Lap joint



Length (L)	200 mm
Max. medium wire diameter cutting capacity	3.8 mm
Max. hard wire diameter cutting capacity	2.5 mm
Max. cable diameter cutting capacity in aluminium/copper	13 mm
Surface	Chrome plated

Art. no. 0714 01 556

P. Qty./unit 1/10


Application



Metric combination wrench assortment 11 pieces

ZEBRA professional-quality tools: Multi-piece set of short tools as practical basic equipment for the workshop

- Practical multi-piece assortment with metric, short combination wrenches and wall-mounted holder
- Standard-compliant design
- Extremely high quality for a long service life



Number of pieces in assortment/set	11 PCS
Width across flats	8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 22 mm

Art. no. 0713 301 40

P. Qty./unit 1

Metric double open-end wrench set 8 pieces

ZEBRA professional-quality tools as practical basic equipment for the workshop

- Practical multi-piece assortment with metric double open-end wrenches and wall-mounted holder
- Ergonomic double open-end wrench for demanding work
- Extremely high quality for a long service life



Number of pieces in assortment/set	8 PCS
Width across flats	6 x 7 mm, 8 x 9 mm, 10 x 11 mm, 12 x 13 mm, 14 x 15 mm, 16 x 17 mm, 18 x 19 mm, 20 x 22 mm


Art. no. 0713 304 40

P. Qty./unit 1

1/4 inch ratchet with turntable switching

- Compact, narrow head
- Simple changeover from clockwise to anticlockwise rotation
- Chamfered square - easier removal of socket wrench inserts
- Offset ratchet body for more hand clearance
- Fine tooth rotary disc with 72 teeth; 5° angle of rotation
- Length 135 mm
- Chrome-plated, 2-component handle
- DIN 3122, ISO 3315





Tip size	1/4 inch
Material	Steel
Material of handle	2-component plastic
Surface	Chrome plated
Length (L1)	138 mm
Length of lever (L2)	125 mm
Handle length (L3)	66 mm
Handle diameter (D1)	16 mm
Ratchet diameter (D2)	24 mm
Ratchet head height (B1)	19 mm
Ratchet head height with square (B2)	28 mm

Art. no. 0712 014 0

P. Qty./unit 1



Simple reversing of clockwise and anti-clockwise rotation with rotary disk



Chamfered square - easier removal of socket wrench inserts




Offset ratchet body for more clearance for gripping

1/2 inch ratchet with turntable switching

- Simple reversing of clockwise and anti-clockwise rotation
- Chamfered square - easier removal of socket wrench inserts
- Finely toothed turntable with 72 teeth, 5° angle of rotation

Tip size	1/2 inch
Material	Steel
Material of handle	2-component plastic
Surface	Chrome plated
Number of teeth	72 PCS
Length (L1)	250 mm
Length of lever (L2)	240 mm
Handle length (L3)	112 mm
Handle diameter (D1)	26 mm
Ratchet diameter (D2)	37 mm
Ratchet head height (B1)	26 mm
Ratchet head height with square (B2)	43 mm





Art. no. 0712 012 0
P. Qty./unit 1



Flexible ratcheting combination wrench set, metric 6 pcs


POWERDRIV

ZEBRA QUALITY

Flexible ratchet head provides more space for fingers or for negotiating obstacles, ZEBRA professional-quality tool

- Practical assortment of 6 pieces with metric wrenches with open end and flexible box-end ratchet and wall-mounted holder
- Special tool with 180° joint and ratchet on box end
- Extremely high quality for a long service life





Number of pieces in assortment/set	6 PCS
Included in delivery	Including plastic holder

Art. no. 0714 263 50

P. Qty./unit 1






Application


- Loosen bolts using the jaw side:

Tighten bolts using the ratchet mechanism on the ring side

Application



Finely toothed ring side, 72 teeth, requires only a 5-degree angle to turn



The 180° joint of the box wrench means you can work smoothly and flexibly even around obstacles


Ratchet multi-bit screwdriver with pistol handle Set of 37 pieces

Screwdriver with magazine, 2C pistol handle, LED light, ratchet function and extensive accessories


- Adjustable handle can be held as a pistol or as a standard screwdriver as required
- 3-position adjustable ratchet function with a maximum torque of up to 40 Nm
- Comprehensive set with a variety of adapters, bit holders, sockets, extensions and telescopic magnet

Art. no. 0613 640 37
P. Qty./unit 1





Pistol Grip Position



Telescopic magnet (visible length in screwdriver max. 485 mm)



Flexible bit holder



Bit Magazine



Ratchet technique



LED technology



Adapter assortment 8 pieces

Combined adapter assortment with the most common socket wrench and bit adapters

- Contents: 8 pieces
  - 6 socket wrench adapters:
    3/4 inch - 1/2 inch, 1/2 inch - 3/4 inch, 1/2 inch - 3/8 inch
    3/8 inch - 1/4 inch, 1/4 inch - 3/8 inch, 3/8 inch - 1/2 inch
  - 2 bit adapters:
    1/4" - 1/4", 3/8" - 5/16"

Number of pieces in assortment/set	8 PCS
Width x height x depth	225 x 35 x 110 mm



Art. no. 0965 12 80
P. Qty./unit 1

1/2 inch bit sockets assortment of 11 pieces

For hexagon socket screws, professional quality ZEBRA® tool

- Compact, 1/2 inch bit socket assortment, 11 pieces
- Ten bit sockets with hexagon output for the most important sizes
- Powerful, efficient fastening operation



Number of pieces in assortment/set	11 PCS
Width x height x depth	315 x 40 x 115 mm

Art. no. 0965 13 110
P. Qty./unit 1

Multi-socket wrench, 1/2 inch 23 pieces

Practical metal box for workshop applications and mobile use, professional-quality ZEBRA® tool

- Practical 23 piece assortment with multi-socket wrenches in a metal box
- One tool for all jobs: Multi-socket wrench for five different drives
- Powerful, efficient fastening operation



Number of pieces in assortment/set	23 PCS
Included in delivery	19 x multi-socket wrenches, 1/2 inch, short, sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 28, 30, 32, 1 x reversible ratchet, 1/2 inch, 2 x extensions 1/2 inch, 125 mm, 250 mm, 1 x cardan joint, 1/2 inch
Width x height x depth	405 x 50 x 160 mm

Art. no. 0965 13 023
P. Qty./unit 1



1/4 inch socket wrenches Assortment of 33 pieces

Hexagon, short shape, practical metal box for workshop applications and mobile use, robust design, professional-quality ZEBRA tool

- Extensive assortment of 33 pieces in a sturdy metal box
- Matching socket wrenches and bits for almost any screw
- Powerful, efficient fastening operation



Number of pieces in assortment/set	33 PCS
Width x height x depth	225 x 35 x 110 mm

Art. no. 0965 11 32

P. Qty./unit 1



1/2 inch bit sockets assortment of 11 pieces

For hexagon socket screws, professional quality ZEBRA® tool

- Compact, 1/2 inch bit socket assortment, 11 pieces
- Ten bit sockets with hexagon output for the most important sizes
- Powerful, efficient fastening operation



Number of pieces in assortment/set	11 PCS
Width x height x depth	315 x 40 x 115 mm

Art. no. 0965 13 110

P. Qty./unit 1

Multi-socket wrench, 1/2 inch 23 pieces

Practical metal box for workshop applications and mobile use, professional-quality ZEBRA® tool

- Practical 23 piece assortment with multi-socket wrenches in a metal box
- One tool for all jobs: Multi-socket wrench for five different drives
- Powerful, efficient fastening operation



Number of pieces in assortment/set	23 PCS
Included in delivery	19 x multi-socket wrenches, 1/2 inch, short, sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 28, 30, 32, 1 x reversible ratchet, 1/2 inch, 2 x extensions 1/2 inch, 125 mm, 250 mm, 1 x cardan joint, 1/2 inch
Width x height x depth	405 x 50 x 160 mm

Art. no. 0965 13 023

P. Qty./unit 1



1/4 inch socket wrenches Assortment of 33 pieces

Hexagon, short shape, practical metal box for workshop applications and mobile use, robust design, professional-quality ZEBRA tool

- Extensive assortment of 33 pieces in a sturdy metal box
- Matching socket wrenches and bits for almost any screw
- Powerful, efficient fastening operation



Number of pieces in assortment/set	33 PCS
Width x height x depth	225 x 35 x 110 mm

Art. no. 0965 11 32
P. Qty./unit 1

1/4 inch socket wrench set „mini“ 50 pieces

Very short socket wrench bit inserts, especially suitable for work in confined areas

- Surface: Zinc phosphated
- Drive: 1/4 inch square socket, ball catch groove
- Geometry: Extra short, 19.5 mm



Number of pieces in assortment/set	50 PCS
Width x height x depth	262 x 68 x 173 mm

Art. no. 0965 014 500
P. Qty./unit 1



Application

- Suitable for manual use in DIN 3120 reversible ratchets
- Suitable for door hinges, engine compartments and toothed belt covers

Multi-socket wrench 1/4 inch Assortment of 33 pieces

Practical metal box for workshop applications and mobile use, for the five most common screw head drives, professional-quality ZEBRA® tool



- Practical 33 piece assortment with multi-socket wrenches in a metal box
- One tool for all jobs: Multi-socket wrench for five different drives
- Powerful, efficient fastening operation

Number of pieces in assortment/set	33 PCS
Width x height x depth	225 x 35 x 110 mm

Art. no. 0965 11 032
P. Qty./unit 1

Tool case with all common tools Assortment of 93 pieces

Compact plastic case, ideal for mobile use, robust design, professional-quality ZEBRA® tool



- All-purpose assortment of 93 pieces in a sturdy plastic case
- All the classic tools for the all-round tradesperson
- Matching 1/2 inch and 1/4 inch socket wrenches for almost any screw

Number of pieces in assortment/set	93 PCS
Length x width x height	423 x 360 x 86 mm

Art. no. 0965 93 180
P. Qty./unit 1







VDE precision screwdriver assortment, slotted/ PH 7 pieces

Consists of five slotted and two Phillips screwdrivers.

- Routine test in water bath with test voltage 10 kV, identification marking with the year of manufacture
- Cold impact test at –40°C (marking C)
- Blade: Circular blade Insulated, bronzed, slotted drive: DIN 5264-A, ISO 2380 and cross-head drive: ISO 8764-PH



Number of pieces in assortment/set	7 PCS

Art. no. 0613 489 4
P. Qty./unit 1

Proof of performance

EN 60900, IEC 60900

VDE screwdriver set slotted/PH

5 pieces, 3-component handle, slim design



- All screwdrivers individually tested to IEC 60900
- Electrician's screwdriver with 3-component handle, handle fits hand well
- Up to 50% thinner insulation allows difficult-to-access screws to be reached without compromising safety
- Extra long, 30% slimmer handle
- Anti-roll

Number of pieces in assortment/set	5 PCS

Art. no. 0613 615 005
P. Qty./unit 1

Proof of Performance

1000 V









Application


The thinner and longer handle is tailored to the activities of electricians and is perfectly suitable for precision operations with medium tightening forces in electrical installation.

VDE screwdriver, flat slotted

For working on live parts up to 1,000 volts (AC) and up to 1,500 volts (DC)

- Blade: Burnished, insulated
- Tip: Based on DIN ISO 2380-1-B
- Individually tested in water bath with 10 kV test voltage
- Marked with year of manufacture
- Stricter cold impact test





Tip size	Slot
Thickness of cutting edge x width of cutting edge	1.2 x 8 mm
Blade length (A)	175 mm
Handle length (B)	114 mm
Handle width (C)	38 mm

Art. no. 0613 631 08
P. Qty./unit 1/12

Proof of performance

Standard: IEC 60900

1000 V




VDE screwdriver, PZ recessed head

For working on live parts up to 1,000 volts (AC) and up to 1,500 volts (DC)

- Blade: black oxide, insulated
- Output type: ISO 8764-PZ
- Standard: DIN 7438, IEC 60900





Tip size	PZ1
Blade length (A)	80 mm
Handle length (B)	96 mm
Handle width (C)	31 mm

Art. no. 0613 633 1
P. Qty./unit 1/12

Proof of Performance

1000 V



VDE screwdriver set 14 pieces

Consists of a handle, a precision engineering rotating cap and 12 interchangeable blades




- 12 interchangeable blades
- Can be used as an electronics and precision engineering screwdriver

Number of pieces in assortment/set	14 PCS

Art. no. 0613 900 14
P. Qty./unit 1

Application



VDE screwdrivers



Electronic and precision engineering screwdrivers

Proof of performance

Individually tested in line with IEC 60900

1000 V

VDE screwdriver set for hexagon drive 6 pieces

Sizes: 1 x 5.5; 1 x 6; 1 x 7; 1 x 8; 1 x 10; 1 x 13

- Blade: black oxide, insulated
- Output: DIN 475/2
- Standard: DIN 7445, IEC 60900:2012

Number of pieces in assortment/set	6 PCS

Art. no. 0613 936 66
P. Qty./unit 1





Proof of Performance

1000 V

Longitudinal slotted/PH recess VDE screwdriver set 5 pieces

For working on live parts up to 1,000 volts (AC) and up to 1,500 volts (DC)

- Blade: bronzed, insulated
- Standard: Individually tested in accordance with IEC 60900:2004

Number of pieces in assortment/set	5 PCS



Art. no. 0613 963 25
P. Qty./unit 1



Application

For the electrical trade

Proof of Performance

1000 V

VDE diagonal cutters DIN ISO 5749, IEC 60900

For cutting hard and soft wires and cables, including in hard-to-reach places


- For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC), observing all prescribed safety precautions
- Strength-saving, clean cutting thanks to milled precision blade
- High-quality tool steel ensures long tool life and precision of cutting surfaces



Length (L)	160 mm
Max. soft wire diameter cutting capacity	4 mm
Max. medium wire diameter cutting capacity	2.8 mm
Max. hard wire diameter cutting capacity	2 mm
EN standard	60900

Art. no. 0714 01 572
P. Qty./unit 1/10

Application





Proof of Performance

1000 V

VDE combination pliers DIN ISO 5746, IEC 60900

For gripping, holding and cutting hard and soft wires and cables

- For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC), observing all prescribed safety precautions
- High-quality tool steel ensures long service life and precision of gripping and cutting surfaces
- Extra-long blade also suitable for thicker cables
- Ergonomic and slip-free 2-component comfort handle with wide VDE collar for secure working
- Inductively hardened precision blades
- Burner port for gripping round materials
- Surface entirely ground and chrome-plated
- Lap joint



Length (L)	180 mm
Length in inches (L)	7 in
Max. medium wire diameter cutting capacity	3.4 mm
Max. hard wire diameter cutting capacity	2.2 mm
Max. cable diameter cutting capacity in aluminium/copper	12 mm
Max. aluminium/copper wire cross-section cutting capacity	16 mm^2
Material	Steel
Surface	Chrome plated
Material of handle	2-component plastic
ISO	5746

Art. no. 0714 01 575

P. Qty./unit 1/10

Proof of Performance

⩓1000 V

VDE pliers assortment, IEC 60900 4 pieces

- For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC), observing all prescribed safety precautions
- High-quality tool steel ensures long tool life and precision of gripping and cutting surfaces
- Ergonomic and slip-free 2-component comfort handle with wide VDE collar for secure working
- Combination pliers with extra-long blade also suitable for thicker cables
- Stripping pliers with opening spring for automatic opening
- Snipe nose pliers with tips for high bending stresses
- Side cutters with slim head shape for optimal accessibility



Number of pieces in assortment/set	4 PCS
EN standard	60900

Proof of Performance

⩓1000 V

Art. no. 0714 01 580

P. Qty./unit 1

WORKSHOP TROLLEY QUICKLOCK-7 DRAWERS SS TOP

Art. no. 0962699241





System assortment 8.4.1, socket wrench 1/2 inch 23 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	23 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 202

P. Qty./unit 1






Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1, TX socket wrench 1/2 inch 12 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.

Number of pieces in assortment/set	12 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance




Art. no. 0965 905 207

P. Qty./unit 1







4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1 combination wrenches, metric, 15° angled ring 17 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	17 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 401

P. Qty./unit 1





4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 8.4.1, combination wrench 10 pieces

- Compatible with all products from the ORSY systems
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes are marked on the insert.




Number of pieces in assortment/set	10 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 402

P. Qty./unit 1






Application

Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 8.4.1 double box-end wrenches, metric, deep offset 12 pieces


- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.





Number of pieces in assortment/set	12 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 405

P. Qty./unit 1








Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1, screwdriver 8 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.

Number of pieces in assortment/set	8 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance



Art. no. 0965 905 501

P. Qty./unit 1







4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1, pliers 4 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.



Number of pieces in assortment/set	4 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 600

P. Qty./unit 1








4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1, circlip pliers 4 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	4 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 602

P. Qty./unit 1





4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 4.4.1, drift punch and striking tool 14 pieces



- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	14 PCS
Size foam section	4.4.1
Width x height x depth	231 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 701

P. Qty./unit 1





4.4.1

Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 8.4.1, files and scrapers 9 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	9 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 802

P. Qty./unit 1








Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

System assortment 8.4.1, socket wrench 3/8 + 1/4 inch 91 pieces

- Compatible with all products of the ORSY system world
- Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning
- Tool sizes marked on insert.




Number of pieces in assortment/set	91 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Art. no. 0965 905 903

P. Qty./unit 1







Application

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)



WÜRTH

CUSTOMER HAPPINESS CENTER
800 WURTH (98784)

HAND TOOLS CATALOGUE

Würth Gulf FZE
P.O.Box: 17036 Jebel Ali South 6,
Dubai, United Arab Emirates.
T. 800 WURTH (98784)
customerhappinesscenter@wurth.ae
eshop.wurth.ae